

Bibliography

Kristin Rangnes

For those readers wishing to learn more about Norwegian geology, a selected reference list is presented below. The references are organized in groups covering the individual chapters, starting with Chapter 1 and onwards. A joint reference list is given for those chapters, covering the same theme, such as the geology of the continental shelf.

Space does not permit full reference lists but the editors have chosen both older, classical literature, together with the most recent.

Not all references are easily available and readers are therefore recommended to contact local libraries for help in obtaining these.

Webpages

Kullerud, K.: *webGeology*. <http://www.ig.uit.no/webgeology/>
Norges Geologiske Undersøkelse. www.ngu.no
Norges Geotekniske Institutt. www.ngi.no
Norsk Geologisk Forening. www.geologi.no
Norwegian Petroleum Directorate. www.npd.no

Chapter 1 and 2

- Allaby, A. and Allaby, M., 2008: *Oxford Dictionary of Earth Sciences*. Oxford University Press, 608 pp.
- Andersen, B.G., 2000: *Ice Age Norway. Landscapes formed by Ice Age glaciers*. Universitetsforlaget, 216 pp.
- Brøgger, W.C., 1935: *On several Archæan rocks from the south coast of Norway. II. The South Norwegian Hyperites and their metamorphism*. Skrifter, Det Norske videnskaps-akademi i Oslo, I. Matematisk naturvitenskapelig klasse. 1934 1, 421 pp.
- Carstens, H., 2000: *- bygger i berge: en beretning om norsk bergverksdrift*. Den norske bergingeniørforening, 256 pp.
- Cook, N.J., Karlsen, T.A. and Roberts, D., 2000: *Industrial minerals and rocks in Norway*. Norges Geologiske Undersøkelse Bulletin. 436, 207 pp.
- Duff, P.M.D. and Holmes, A., 1993: *Holmes' principles of physical geology*. 4th ed. Chapman & Hall, 791 pp.
- Eide, E.A., (Ed.), 2002: *BATLAS: Mid Norway plate reconstruction atlas with global and Atlantic perspectives*. Norges Geologiske Undersøkelse. 75 pp.
- Escholt, M.P., 1657: *Geologia Norvegica: En kort Undervisning om det viitbegrebne Jordskelff Som her udi Norge skeede mesten ofuer alt Syndenfields, den 24. Aprilis udi nærværende Aar 1657 : Sampt Physiske, Historiske oc Theologiske fundament oc grundelige Beretning om Jordskelffs Aarsager oc Betydninger*. Mickel Thomesøn, 55 pp.

- Evans, D., Graham, C., Armour, A. and Bathurst, P., 2003: *The Millennium atlas petroleum geology of the central and northern North Sea*. Geological Society of London, 389 pp.
- Fettes, D.J. and Desmons, J., 2007: *Metamorphic rocks a classification and glossary of terms: recommendations of the International Union of Geological Sciences Subcommission on the Systematics of Metamorphic Rocks*. Cambridge University Press, 244 pp.
- Fossen, H. and Gabrielsen, R.H., 2005: *Strukturgeologi*. Fagbokforl., 375 pp.
- Fry, N., 1984: *The field description of metamorphic rocks*. Open University Press, 110 pp.
- Gabrielsen, R.H., Bruton, D.L., Bryhni, I. and Ramberg, I.B., 2005: On the shoulders of giants: Musings on the history of geoscience in Norway. *Norwegian Journal of Geology*, 85, 3-22.
- Gee, D.G. and Ladenberger, A., 2008: Nordic Geoscience and 33rd IGC 2008. *Episodes*, 31 Special issue.
- Gradstein, F.M., Ogg, J.G. and Smith, A.G., 2004: *A Geologic time scale 2004*. Cambridge University Press, 589 pp.
- Hancock, P.L. and Skinner, B.J., 2000: *The Oxford companion to the Earth*. Oxford University Press, 1174 pp.
- Harland, W.B., 1997: *The geology of Svalbard*. Geological Society of London Memoir. 17, 169-190 pp.
- Holtedahl, H., 1993: *Marine geology of the Norwegian continental margin*. Norges Geologiske Undersøkelse Special Publication. 6, Geological Survey of Norway, 150 pp.
- Holtedahl, O., 1951: *Hvordan landet vårt ble til: en oversikt over Norges geologi*. Cappelen, 199 pp. New ed. 1973
- Holtedahl, O., 1953: *Norges geologi*. Norges geologiske undersøkelse. 167, Aschehoug. 2 vols.
- Holtedahl, O., 1960: *Geology of Norway*. Norges geologiske undersøkelse. 208. 2 vols, 540 pp.
- International Commission on Stratigraphy: International Stratigraphic Chart. 2008 [Available online at <http://www.stratigraphy.org/cheu.pdf>.]
- Jackson, J.A., Neuendorf, K.K.E. and Mehl, J.P., Jr., 2005: *Glossary of geology*. American Geological Institute, 779 pp.
- Keilhau, B.M., 1838: *Gaea Norvegica*. J. Dahl. 3 vols.
- Le Maitre, R.W., 2002: *Igneous rocks a classification and glossary of terms: recommendations of the International Union of Geological Sciences, Subcommission on the Systematics of Igneous Rocks*. 2nd ed. Cambridge University Press, 236 pp.
- Marshak, S., 2005: *Earth: portrait of a planet*. 2nd ed. Norton, 748 pp.
- Mussett, A.E. and Khan, M.A., 2000: *Looking into the earth: an introduction to geological geophysics*. Cambridge University Press, 470 pp.
- Naterstad, J., Bockelie, J.F., Bockelie, T., Gravesen, O., Hjelmeland, H., Larsen, B.T. and Nilsen, O., 1990: *Asker 1814 I. Berggrunnskart M 1:50 000*. Norges Geologiske Undersøkelse.
- Neeb, P.-R., 1992: *Byggeråstoffer kartlegging, undersøkelse og bruk*. Tapir, 374 pp.
- Neumann, H., 1985: *Norges mineraler*. Norges Geologiske Undersøkelse Skrifter. 68, 278 pp.
- Nystuen, J.P., 1986: *Regler og råd for navnsetting av geologiske enheter i Norge*. . Norsk Geologisk Tidsskrift Supplement. 66 1, Universitetsforlaget, 96 pp.
- Nystuen, J.P., 1989: *Rules and recommendations for naming geological units in Norway*. Norsk Geologisk Tidsskrift Supplement. 69 2, Universitetsforlaget, 111 pp.
- Nøttvedt, A. and Larsen, B.T., (Eds.), 2000: *Dynamics of the Norwegian margin*. Vol. 167, Geological Society. 472 pp.
- Oftedahl, C., 1974: *Norges geologi: en oversikt over Norges regionalgeologi*. Tapir, 169 pp.
- Oftedahl, C., 1980: *Geology of Norway*. *Norges Geologiske Undersøkelse*, 356, 1-114.
- Ramberg, I.B., Bryhni, I. and Nøttvedt, A., 2006: *Landet blir til: Norges geologi*. Norsk geologisk forening, 608 pp. New ed. 2007

- Reusch, H., 1910: *Norges geologi*. Norges geologiske undersøkelse. 50, 196 pp.
- Schou Jensen, E. and Engen, Ø., 2006: *Bergarter og mineraler*. Damm, 221 pp.
- Skjeseth, S., 1996: *Norge blir til: Norges geologiske historie*. Rev. ed. Schibsted, 88 pp.
- Smelror, M., (Ed.), 2005: *A Celebration of 100 Years*. Vol. 85. 187 pp.
- Strøm, H., 1784: *Physisk-Oeconomisk Beskrivelse over Eger-Præstegjæld i Aggershuus-Stift i Norge: tilligemed et geographisk Kort over samme*. Gyldendal, 288 pp.
- Tarbutck, E.J. and Lutgens, F.K., 2008: *Earth: an introduction to physical geology*. Pearson/Prentice Hall, 714 pp.
- Thorpe, R.S. and Brown, G.C., 1985: *The field description of igneous rocks*. Open University Press, 154 pp.
- Trømborg, D., 2006: *Geologi og landformer i Norge*. Landbruksforlaget, 130 pp.
- Tucker, M.E., 2001: *Sedimentary petrology: an introduction to the origin of sedimentary rocks*. Blackwell Science, 262 pp.
- Tucker, M.E., 2003: *Sedimentary rocks in the field*. Wiley, 234 pp.
- Wolff, F.C., 1980: Excursion across part of the Trondheim Region, Central Norwegian Caledonides. *Norges Geologiske Undersøkelse*, 356, 115-167.

Chapter 3 and 4

- Alm, E., Sundblad, K. and Schoberg, H., 2002: Geochemistry and age of two orthogneisses in the Proterozoic Mjøsa-Vänern ore district, southwestern Scandinavia. *GFF*, 124, 45-61.
- Amelin, Y.V., Heaman, L.M. and Semenov, V.S., 1995: U-Pb geochronology of layered mafic intrusions in the Eastern Baltic Shield: implications for the timing and duration of paleoproterozoic continental rifting *Precambrian Research*, 75, 31-46.
- Andersen, T., 1987: Mantle and crustal components in a carbonatite complex, and the evolution of carbonatite magma: REE and isotopic evidence from the Fen Complex, Southeast Norway. *Chemical Geology*, 65, 147-166.
- Andersen, T., 2005: Terrane analysis, regional nomenclature and crustal evolution in the Southwest Scandinavian Domain of Fennoscandian Shield. *GFF*, 127, 159-168.
- Andersen, T., Andresen, A. and Sylvester, A.G., 2002: Timing of late- to post-tectonic Sveconorwegian granitic magmatism in South Norway. *Norges Geologiske Undersøkelse Bulletin*, 440, 5-18.
- Andersen, T., Griffin, W.L. and Pearson, N.J., 2002: Crustal evolution in the SW part of the Baltic Shield: The Hf isotope evidence. *Journal of Petrology*, 43, 1725-1747.
- Andersen, T., Laajoki, K. and Saeed, A., 2004: Age, provenance and tectonostratigraphic status of the Mesoproterozoic Blefjell quartzite, Telemark sector, southern Norway. *Precambrian Research*, 135, 217-244.
- Andersson, J., Möller, C. and Johansson, L., 2002: Zircon geochronology of migmatite gneisses along the Mylonite Zone (S Sweden): a major Sveconorwegian terrane boundary in the Baltic Shield. *Precambrian Research*, 114, 121-147.
- Austrheim, H., Corfu, F., Bryhni, I. and Andersen, T.B., 2003: The Proterozoic Hustad igneous complex: a low strain enclave with a key to the history of the Western Gneiss Region of Norway. *Precambrian Research*, 120, 149-175.
- Banks, N.L., Edwards, M.B., Geddes, W.P., Hobday, D.K. and Reading, H.G., 1971: Late Precambrian and Cambro-Ordovician sedimentation in East Finnmark. *Norges Geologiske Undersøkelse*, 296, 197-236.
- Barnes, S.J. and Often, M., 1990: Ti-rich komatiites from northern Norway. *Contributions to Mineralogy and Petrology*, 105, 42-54.
- Barth, T.F.W., 1928: Zur genese der Pegmatite im Urgebirge. I. Die Geologie und Petrographie der granitischen Pegmatite im südlichsten Norwegen. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie*, 58A, 385-432.

- Barth, T.F.W., 1947: The nickeliferous Iveland-Evje amphibolite and its relation. *Norges Geologiske Undersøkelse*, 168a, 1-71.
- Barth, T.F.W. and Reitan, P.H., 1963: The Precambrian of Norway. *In: Rankama, K., (Ed.), The Precambrian*. Interscience, 27-80.
- Bergh, S.G., Corfu, F., Kullerud, K. and Davidsen, B., 2006: Low-grade sedimentary rocks on Vanna, Troms, North Norway: a new correlative of the Paleoproterozoic (2.2-2.4 Ga) cover suites in northern Fennoscandia. *Bulletin of the Geological Society of Finland, Special Issue*, 1, 15.
- Bertrand-Sarfati, J. and Siedlecka, A., 1980: Columnar stromatolites of the terminal Precambrian Porsanger Dolomite and Grasdal Formation of Finnmark, North Norway. *Norsk Geologisk Tidsskrift*, 60, 1-27.
- Bingen, B., Demaiffe, D. and van Breemen, O., 1998: The 616 Ma old Egersund basaltic dike swarm, SW Norway, and Late Neoproterozoic opening of the Iapetus Ocean. *Journal of Geology*, 106, 565-574.
- Bingen, B., Birkeland, A., Nordgulen, Ø. and Sigmond, E.M.O., 2001: Correlation of supracrustal sequences and origin of terranes in the Sveconorwegian orogen of SW Scandinavia: SIMS data on zircon in clastic metasediments. *Precambrian Research*, 108, 293-318.
- Bingen, B., Mansfeld, J., Sigmond, E.M.O. and Stein, H., 2002: Baltica-Laurentia link during the Mesoproterozoic: 1.27 Ga development of continental basins in the Sveconorwegian Orogen, southern Norway. *Canadian Journal of Earth Sciences*, 39, 1425-1440.
- Bingen, B., Stein, H.J., Bogaerts, M., Bolle, O. and Mansfeld, J., 2006: Molybdenite re-osc dating constrains gravitational collapse of the Sveconorwegian orogen, SW Scandinavia. *Lithos*, 87, 328-346.
- Bingen, B., Nordgulen, Ø., Sigmond, E.M.O., Tucker, R., Mansfeld, J. and Högdahl, K., 2003: Relations between 1.19-1.13 Ga continental magmatism, sedimentation and metamorphism, Sveconorwegian province, S Norway. *Precambrian Research*, 124, 215-241.
- Bingen, B., Skår, O., Marker, M., Sigmond, E.M.O., Nordgulen, Ø., Ragnhildstveit, J., Mansfeld, J., Tucker, R.D. and Liegeois, J.P., 2005: Timing of continental building in the Sveconorwegian orogen, SW Scandinavia. *Norwegian Journal of Geology*, 85, 87-116.
- Bjørlykke, H., 1939: Feltspat; V. De sjeldne mineraler på de norske granittiske pegmatittganger. *Norges Geologiske Undersøkelse*, 154, 1-78.
- Bjørlykke, K. and Nystuen, J.P., 1981: Late Precambrian tillites of South Norway. *In: Hambrey, M. and Harland, W.B., (Eds.), Earth's pre-Pleistocene glacial record*. Cambridge University Press, 624-628.
- Bjørlykke, K., Elvsborg, A. and Høy, T., 1976: Late Precambrian sedimentation in Central Sparagmite Basin of South-Norway. *Norsk Geologisk Tidsskrift*, 56, 233-290.
- Bockelie, J.F. and Nystuen, J.P., 1985: The southeastern part of the Scandinavian Caledonides. *In: Gee, D.G. and Sturt, B.A., (Eds.), The Caledonide Orogen; Scandinavia and related areas*. John Wiley & Sons, 69-88.
- Brewer, T.S., Ahall, K.I., Menuge, J.F., Storey, C.D. and Parrish, R.R., 2004: Mesoproterozoic bimodal volcanism in SW Norway, evidence for recurring pre-Sveconorwegian continental margin tectonism. *Precambrian Research*, 134, 249-273.
- Bridgwater, D., Scott, D.J., Balagansky, V.V., Timmerman, M.J., Marker, M., Bushmin, S.A., Alexeyev, N.L. and Daly, J.S., 2001: Age and provenance of early Precambrian metasedimentary rocks in the Lapland-Kola Belt, Russia: evidence from Pb and Nd isotopic data. *Terra Nova*, 13, 32-37.
- Braathen, A. and Davidsen, B., 2000: Structure and stratigraphy of the Palaeoproterozoic Karasjok Greenstone Belt, north Norway: regional implications. *Norsk Geologisk Tidsskrift*, 80, 33-50.
- Bugge, J.A.W., 1943: Geological and petrographical investigations in the Bamble formation. *Norges Geologiske Undersøkelse*, 160, 1-150.

- Corfu, F., 2004: U-Pb age, setting and tectonic significance of the anorthosite-mangerite-charnockite-granite suite, Lofoten-Vesteralen, Norway. *Journal of Petrology*, 45, 1799-1819.
- Corfu, F. and Andersen, T.B., 2002: U-Pb ages of the Dalsfjord Complex, SW Norway, and their bearing on the correlation of allochthonous crystalline segments of the Scandinavian Caledonides. *International Journal of Earth Sciences*, 91, 955-963.
- Corfu, F., Armitage, P.E.B., Kullerud, K. and Bergh, S.G., 2003: Preliminary U-Pb geochronology in the West Troms basement Complex, North Norway: Archaean and Palaeoproterozoic events and younger overprints. *Norges Geologiske Undersøkelse Bulletin*, 441, 61-72.
- Dahlgren, S., 1994: Late Proterozoic and Carboniferous ultramafic magmatism of carbonatitic affinity in Southern Norway. *Lithos*, 31, 141-154.
- Daly, J.S., Balagansky, V.V., Timmerman, M.J. and Whitehouse, M.J., 2001: The Lapland-Kola orogen: Palaeoproterozoic collision and accretion of the northern Fennoscandian lithosphere. In: Gee, D.G. and Stephenson, R.A., (Eds.), *European Lithosphere Dynamics*, Geological Society of London Memoir, 32, 579-598.
- Daly, J.S., Balagansky, V.V., Timmerman, M.J., Whitehouse, M.J., de Jong, K., Guise, P., Bogdanova, S., Gorbatshev, R. and Bridgwater, D., 2001: Ion microprobe U-Pb zircon geochronology and isotopic evidence for a trans-crustal suture in the Lapland-Kola Orogen, northern Fennoscandian Shield. *Precambrian Research*, 105, 289-314.
- Dobrzhinetskaya, L.F., Nordgulen, Ø., Vetrin, V.R., Cobbing, J. and Sturt, B.A., 1995: Correlation of the Archaean rocks between the Sørvaranger area, Norway, and the Kola Peninsula, Russia (Baltic Shield). In: Roberts, D. and Nordgulen, Ø., (Eds.), *Geology of the eastern Finmark-western Kola Peninsula region; proceedings of the International Barents symposium on "Geology and minerals in the Barents region"*. Norges Geologiske Undersøkelse Special Publication, 7. Geological Survey of Norway, 7-27.
- Dons, J.A., 1963: De prekambriske bergarter i Telemark. I. Gruver og skjerp innen gradteigskart E36 V Kviteseid. *Norges Geologiske Undersøkelse*, 216, 1-80.
- Edwards, M.B., 1984: Sedimentology of the Upper Proterozoic glacial record, Vestertana Group, Finnmark, North Norway. *Norges Geologiske Undersøkelse Bulletin*, 394, 1-76.
- Edwards, M.B. and Føyn, S., 1981: Late Precambrian tillites in Finnmark, North Norway. In: Hambrey, M. and Harland, W.B., (Eds.), *Earth's pre-Pleistocene glacial record*. Cambridge University Press, 606-610.
- Englund, J.O., 1973: Stratigraphy and structure of the Ringebu-Vinstra District, Gudbrandsdalen: with a short analysis of the Western part of the Sparagmite Region in Southern Norway. *Norges Geologiske Undersøkelse*, 293, 1-58.
- Falkum, T., 1998: The Sveconorwegian magmatic and tectono-metamorphic evolution of the high-grade Proterozoic Flekkefjord Complex, South Norway. *Norges Geologiske Undersøkelse Bulletin*, 434, 5-33.
- Fareth, E., 1979: Geology of the Altenes area, Alta-Kvænangen Window, North Norway. *Norges Geologiske Undersøkelse*, 13-29.
- Farmer, J., Vidal, G., Moczydlowska, M., Strauss, H., Ahlberg, P. and Siedlecka, A., 1992: Ediacaran fossils from the Innerelv Member (Late Proterozoic) of the Tanafjorden Area, Northeastern Finnmark. *Geological Magazine*, 129, 181-195.
- French, B.M., Koeberl, C., Gilmour, I., Shirey, S.B., Dons, J.A. and Naterstad, J., 1997: The Gardnos impact structure, Norway: Petrology and geochemistry of target rocks and impactites. *Geochimica et Cosmochimica Acta*, 61, 873-904.
- Føyn, S., 1937: The Eo-Cambrian series of the Tana district, Northern Norway. *Norsk Geologisk Tidsskrift*, 17, 65-164.
- Gaàl, G. and Gorbatshev, R., 1987: An outline of the Precambrian evolution of the Baltic Shield. *Precambrian Research*, 35, 15-52.
- Gorbatshev, R. and Bogdanova, S., 1993: Frontiers in the Baltic Shield. *Precambrian Research*, 64, 3-21.

- Heim, M., Skiöld, T. and Wolff, F.C., 1996: Geology, geochemistry and age of the 'Tricolor' granite and some other Proterozoic (TIB) granitoids at Trysil, southeast Norway. *Norsk Geologisk Tidsskrift*, 76, 45-54.
- Johansson, A., Gee, D.G., Larionov, A.N., Ohta, Y. and Tebenkov, A.M., 2005: Grenvillian and Caledonian evolution of eastern Svalbard: a tale of two orogenies. *Terra Nova*, 17, 317-325.
- Johansson, L., Möller, C. and Söderlund, U., 2001: Geochronology of eclogite facies metamorphism in the Sveconorwegian Province of SW Sweden. *Precambrian Research*, 106, 261-275.
- Knudsen, T.L. and Andersen, T., 1999: Petrology and geochemistry of the Tromøy gneiss complex, South Norway, an alleged example of Proterozoic depleted lower continental crust. *Journal of Petrology*, 40, 909-933.
- Knudsen, T.L., Andersen, T., Whitehouse, M.J. and Vestin, J., 1997: Detrital zircon ages from southern Norway: implications for the Proterozoic evolution of the southwestern Baltic shield. *Contributions to Mineralogy and Petrology*, 130, 47-58.
- Koistinen, T., Stephens, M.B., Bogatchev, V., Nordgulen, Ø., Wennerstrøm, M. and Korhonen, J., 2001: *Geological map of the Fennoscandian Shield, scale 1:2 million*. Geological Surveys of Finland, Norway and Sweden and North-West Department of natural Resources of Russia.
- Krill, A.G., 1985: Svecokarelian thrusting with thermal inversion in the Karasjok-Levajok area of the northern baltic Shield. *Norges Geologiske Undersøkelse Bulletin*, 403, 89-101.
- Kullerud, K., Corfu, F., Bergh, S.G., Davidsen, B. and Ravna, E.K., 2006: U-Pb constraints on the Archean and Early Proterozoic evolution of the Western Troms basement Complex, Northern Norway. *Bulletin of the Geological Society of Finland, Special Issue*, 1, 79.
- Kullerud, L. and Dahlgren, S.H., 1993: Sm-Nd geochronology of Sveconorwegian granulite facies mineral assemblages in the Bamble shear belt, South Norway. *Precambrian Research*, 64, 389-402.
- Kullerud, L. and Dahlgren, S.H., 1993: Sm-Nd geochronology of Sveconorwegian granulite-facies mineral assemblages in the Bamble Shear Belt, South Norway. *Precambrian Research*, 64, 389-402.
- Kumpulainen, R. and Nystuen, J.P., 1985: Late Proterozoic basin evolution and sedimentation in the westernmost part of Baltoscandia. In: Gee, D.G. and Sturt, B.A., (Eds.), *The Caledonide Orogen; Scandinavia and related areas*. John Wiley & Sons, 213-232.
- Lehtinen, M., Nurmi, P.A. and Rämö, O.T., (Eds.), 2005: *Precambrian geology of Finland: key to the evolution of the Fennoscandian Shield*. Vol. 14. 736 pp.
- Levchenkov, O.A., Levsky, L.K., Nordgulen, Ø., Dobrzhinetskaya, L.F., Vetrin, V.R., Cobbing, J., Nilsson, L.P. and Sturt, B.A., 1995: U-Pb zircon ages from Sørvaranger, Norway, and the western part of the Kola Peninsula, Russia. In: Roberts, D. and Nordgulen, Ø., (Eds.), *Geology of the eastern Finmark-western Kola Peninsula region; proceedings of the International Barents symposium on "Geology and minerals in the Barents region"*. Norges Geologiske Undersøkelse Special Publication, 7. Geological Survey of Norway, 29-47.
- Levell, B.K. and Roberts, D., 1977: A re-investigation of the geology of the North-West Varanger Peninsula, East Finnmark, North Norway. *Norges Geologiske Undersøkelse*, 334, 83-90.
- Laajoki, K., Corfu, F. and Andersen, T., 2002: Lithostratigraphy and U-Pb geochronology of the Telemark supracrustals in the Bandak-Sauland area, Telemark, South Norway. *Norwegian Journal of Geology*, 82, 119-138.
- Majjer, C. and Padget, P., 1987: *The geology of southernmost Norway: a geological excursion guide with thematic articles prepared for the NATO Advanced Study Institute*. Norges Geologiske Undersøkelse Special Publication. 1, 109 pp.

- Maijer, C. and Verschure, R.H., 1998: Petrology and isotope geology of the Hunnedalen monzonitic dyke swarm, SW Norway; a possible late expression of Egersund Anorthosite magmatism. *Norges Geologiske Undersøkelse Bulletin*, 434, 83-107.
- Markl, G. and Bucher, K., 1997: Proterozoic eclogites from the Lofoten islands, northern Norway. *Lithos*, 42, 15-35.
- Markl, G. and Höndorf, A., 2003: Isotopic constraints on the origin of AMCG-suite rocks on the Lofoten Islands, N Norway. *Mineralogy and Petrology*, 78, 149-171.
- Melezhik, V.A. and Sturt, B.A., 1994: General geology and evolutionary history of Early proterozoic Polmak-Pasvik-Pechenga-Imandra Varzuga-Ustpony Greenstone-belt in the Northeastern Baltic Shield. *Earth Science Reviews*, 36, 205-241.
- Melezhik, V.A., Fallick, A.E., Rychanchik, D.V. and Kuznetsov, A.B., 2005: Palaeoproterozoic evaporites in Fennoscandia: implications for seawater sulphate, the rise of atmospheric oxygen and local amplification of the delta C-13 excursion. *Terra Nova*, 17, 141-148.
- Melezhik, V.A., Fallick, A.E., Hanski, E.J., Kump, L.R., Lepland, A., Prave, A.R. and Strauss, H., 2005: Emergence of an aerobic biosphere during the Archean-Proterozoic transition: challenges of future research. *GSA Today*, 15, 4-11.
- Mellqvist, C., Öhlander, B., Skiöld, T. and Wikström, A., 1999: The Archaean-Proterozoic Palaeoboundary in the Luleå area, northern Sweden: field and isotope geochemical evidence for a sharp terrane boundary. *Precambrian Research*, 96, 225-243.
- Munz, I.A. and Morvik, R., 1991: Metagabbros in the Modum Complex, Southern Norway: An important heat-source for Sveconorwegian metamorphism. *Precambrian Research*, 52, 97-113.
- Mutanen, T. and Huhma, H., 2003: The 3.5 Ga Siurua trondhjemite gneiss in the Archaean Pudasjarvi granulite belt, northern Finland. *Bulletin of the Geological Society of Finland*, 75, 51-68.
- Möller, C., 1998: Decompressed eclogites in the Sveconorwegian (-Grenvillian) orogen of SW Sweden: petrology and tectonic implications. *Journal of Metamorphic Geology*, 16, 641-656.
- Möller, C. and Andersson, J., 2006: Direct dating of Sveconorwegian north-south compression in the southern Eastern Segment: ion probe dating (Nordsim) of zircon. *Bulletin of the Geological Society of Finland, Special Issue*, 1, 107.
- Nickelsen, R.P., 1974: Geology of the Røssjøkollan-Dokkvatn area, Oppland. *Norges Geologiske Undersøkelse*, 314, 53-100.
- Nickelsen, R.P., Hossack, J.R., Garton, M. and Repetsky, J., 1985: Late Precambrian to Ordovician stratigraphy and correlation in the Valdres and Synnfjell thrust sheets of the Valdres area, southern Norwegian Caledonides: with some comments on sedimentation. In: Gee, D.G. and Sturt, B.A., (Eds.), *The Caledonide Orogen; Scandinavia and related areas*. John Wiley & Sons, 369-378.
- Nironen, M., 1997: The Svecofennian Orogen: a tectonic model. *Precambrian Research*, 86, 21-44.
- Nordgulen, Ø., Vetrin, V.R., Dobrzhinetskaya, L.F., Cobbing, J. and Sturt, B.A., 1995: Aspects of late Archaean magmatism in the Sørvaranger-Kola Terrane, northern Baltic Shield. In: Roberts, D. and Nordgulen, Ø., (Eds.), *Geology of the eastern Finmark-western Kola Peninsula region; proceedings of the International Barents symposium on "Geology and minerals in the Barents region"*. Norges Geologiske Undersøkelse Special Publication, 7. Geological Survey of Norway, 49-63.
- Nystuen, J.P., 1981: The Late Precambrian Sparagmites of Southern-Norway: A major Caledonian Allochthon: the Osen-Røa Nappe Complex. *American Journal of Science*, 281, 69-94.
- Nystuen, J.P., 1982: *Late Proterozoic basin evolution on the Baltoscandian Craton: the Hedmark Group, Southern Norway*. Norges Geologiske Undersøkelse. 375, 74 pp.
- Nystuen, J.P., 1983: Nappe and thrust structures in the Sparagmite Region, Southern-Norway. *Norges Geologiske Undersøkelse*, 70, 67-83.

- Nystuen, J.P., 1987: Synthesis of the tectonic and sedimentological evolution of the Late Proterozoic Early Cambrian Hedmark Basin, the Caledonian Thrust Belt, Southern-Norway. *Norsk Geologisk Tidsskrift*, 67, 395-418.
- Nystuen, J.P., Andresen, A., Kumpulainen, R. and Siedlecka, A., 2008: Neoproterozoic basin evolution in Fennoscandia, East Greenland and Svalbard. *Episodes*, 31, 35-43.
- Olesen, O. and Sandstad, J.S., 1993: Interpretation of the Proterozoic Kautokeino Greenstone Belt, Finnmark, Norway, from combined geophysical and geological data. *Norges Geologiske Undersøkelse Bulletin*, 425, 42-62.
- Pedersen, S. and Konnerup-Madsen, J., 2000: Geology of the Setesdalen area, South Norway: implications for the Sveconorwegian evolution of South Norway. *Bulletin of the Geological Society of Denmark*, 46, 181-201.
- Pharaoh, T.C., Macintyre, R.M. and Ramsay, D.M., 1982: K-Ar age determinations on the Raipas Suite in the Komagfjord Window, northern Norway. *Norsk Geologisk Tidsskrift*, 62, 51-57.
- Pickering, K.T., 1981: The Kongsfjorden Formation: a Late precambrian submarine fan in North-East Finnmark, North Norway. *Norges Geologiske Undersøkelse*, 367, 77-104.
- Pickering, K.T., 1985: Kongsfjord turbidite system, Norway. In: Bouma, A.H., Normark, W.R. and Barnes, N.E., (Eds.), *Submarine fans and related turbidite systems*. Springer, 237-244.
- Ramberg Ivar, B., 1967: Kongsfjellområdet geologi, en petrografisk og strukturell undersøkelse i Helgeland, Nord-Norge. *Norges Geologiske Undersøkelse*, 240, 1-240.
- Reusch, H., 1891: Skuringsmærker og morænegrus eftervist i Finnmarken fra en periode meget ældre en "istiden". *Norges Geologiske Undersøkelse*, 1, 78-85, 97-100.
- Rice, A.H.N., 1994: Stratigraphic overlap of the Late Proterozoic Vadsø and Barents Sea Groups and correlation across the Trollfjorden-Komagelva Fault, Finnmark, North Norway. *Norsk Geologisk Tidsskrift*, 74, 48-57.
- Robins, B. and Gardner, P.M., 1975: Magmatic evolution of Seiland Province, and Caledonian plate boundaries in Northern Norway. *Earth and Planetary Science Letters*, 26, 167-178.
- Siedlecka, A., 1982: Supralittoral ponded algal stromatolites of the Late Precambrian Annijokka member of the Båtsfjord formation, Varanger Peninsula, North Norway. *Precambrian Research*, 18, 319-345.
- Siedlecka, A. and Edwards, M.B., 1980: Lithostratigraphy and sedimentation of the Riphean Båsnæring Formation, Varanger Peninsula, North Norway. *Norges Geologiske Undersøkelse*, 355, 27-47.
- Siedlecka, A. and Roberts, D., 1992: *The bedrock geology of Varanger Peninsula, Finnmark, North Norway: an excursion guide*. Norges Geologiske Undersøkelse Special Publication. 5, 45 pp.
- Siedlecka, A., Roberts, D., Nystuen, J.P. and Olovyanishnikov, V.G., 2004: Northeastern and northwestern margins of Baltica in Neoproterozoic time: evidence from the Timanian and Caledonian Orogens. In: Gee, D.G. and Pease, V., (Eds.), *The Neoproterozoic Timanide Orogen of eastern Baltica*, Geological Society of London Memoir, 30, 169-190.
- Siedlecka, A., Krill, A.G., Often, M., Sandstad, J.S., Solli, A., Iversen, E., Lieungh, B. and (eds), 1985: Lithostratigraphy and correlation of the Archaean and Early Proterozoic rocks of Finnmarksvidda and Sørvaranger district. *Norges Geologiske Undersøkelse Bulletin*, 403, 218 pp.
- Sigmond, E.M.O., Gjelle, S. and Solli, A., 1997: The Rjukan Proterozoic rift basin, its basement and cover, volcanic and sedimentary infill, and associated intrusions. *Norges Geologiske Undersøkelse Bulletin*, 433, 6-7.
- Sigmond, E.M.O., Birkeland, A. and Bingen, B., 2000: A possible basement to the Mesoproterozoic quartzites on Hardangervidda. South-central Norway: zircon U-Pb geochronology of a migmatitic gneiss. *Norges Geologiske Undersøkelse Bulletin*, 437, 25-32.

- Skår, Ø., 2002: U-Pb geochronology and geochemistry of early Proterozoic rocks of the tectonic basement windows in central Nordland, Caledonides of north-central Norway. *Precambrian Research*, 116, 265-283.
- Skår, Ø. and Pedersen, R.B., 2003: Relations between granitoid magmatism and migmatization: U-Pb geochronological evidence from the Western Gneiss Complex, Norway. *Journal of the Geological Society*, 160, 935-946.
- Skår, Ø., Furnes, H. and Claesson, S., 1994: Middle Proterozoic magmatism within the Western Gneiss region, Sunnfjord, Norway. *Norsk Geologisk Tidsskrift*, 74, 114-126.
- Smithson, S.B., 1963: Granite studies. II. The Precambrian Flå granite, a geological and geophysical investigation *Norges Geologiske Undersøkelse*, 219, 1-212.
- Smithson, S.B. and Ramberg, I.B., 1979: Gravity interpretation of the Egersund anorthosite complex, Norway: Its petrological and geochemical significance. *Geological Society of America Bulletin*, 90, 199-204.
- Spjeldnæs, N., 1967: Fossils from pebbles in the Biskopåsen Formation in Southern Norway. *Norges Geologiske Undersøkelse*, 251, 53-82.
- Stephens, M.B., Wahlgren, C.H., Weijermars, R. and Cruden, A.R., 1996: Left-lateral transpressive deformation and its tectonic implications, Sveconorwegian Orogen, Baltic Shield, southwestern Sweden. *Precambrian Research*, 79, 261-279.
- Söderlund, U., Jarl, L.G., Persson, P.O., Stephens, M.B. and Wahlgren, C.H., 1999: Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden. *Precambrian Research*, 94, 29-48.
- Söderlund, U., Möller, C., Andersson, J., Johansson, L. and Whitehouse, M., 2002: Zircon geochronology in polymetamorphic gneisses in the Sveconorwegian orogen, SW Sweden: ion microprobe evidence for 1.46-1.42 and 0.98-0.96 Ga reworking. *Precambrian Research*, 113, 193-225.
- Torsvik, T.H., 2003: The Rodinia jigsaw puzzle. *Science*, 300, 1379-1381.
- Tucker, R.D., Krogh, T.E. and Råheim, A., 1990: Proterozoic evolution and age-province boundaries in the central part of the Western Gneiss region, Norway: results of U-Pb dating of accessory minerals from Trondheimsfjord to Geiranger. In: Gower, C.F., Rivers, T. and Ryan, B., (Eds.), *Mid-Proterozoic Laurentia-Baltica*, Special Paper - Geological Association of Canada, 38. Geological Association of Canada, 149-173.
- Verschure, R.H. and Maijer, C., 2005: A new Rb-Sr isotopic parameter for metasomatism, δT , and its application in a study of pluri-fenitized gneisses around the Fen ring complex. *Norges Geologiske Undersøkelse Bulletin*, 445, 45-71.
- Vidal, G., 1981: Micropalaeontology and biostratigraphy of the upper Proterozoic and Lower Cambrian sequence in East Finmark, northern Norway. *Norges Geologiske Undersøkelse*, 362, 1-53.
- Vidal, G. and Siedlecka, A., 1983: Planktonic, acid-resistant microfossils from the upper Proterozoic strata of the Barents Sea region of Varanger Peninsula, East Finnmark, Northern Norway. *Norges Geologiske Undersøkelse*, 382, 45-79.
- Vidal, G. and Nystuen, J.P., 1990: Lower Cambrian acritarchs and the Proterozoic Cambrian boundary in Southern Norway. *Norsk Geologisk Tidsskrift*, 70, 191-222.
- Zwaan, K.B., 1995: Geology of the West Troms basement complex, Northern Norway, with emphasis on the Senja shear belt: a preliminary account. *Norges Geologiske Undersøkelse Bulletin*, 427, 33-36.
- Åhäll, K.I. and Larson, S.A., 2000: Growth-related 1.85-1.55 Ga magmatism in the Baltic Shield: a review addressing the tectonic characteristics of Svecofennian, TIB 1-related, and Gothian events. *GFF*, 122, 193-206.
- Åhäll, K.I., Persson, P.O. and Skiold, T., 1995: Westward accretion of the Baltic Shield: Implications from the 1.6-GA Amal Horred Belt, SW Sweden. *Precambrian Research*, 70, 235-251.
- Åhäll, K.I., Cornell, D.H. and Armstrong, R., 1998: Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield. *Precambrian Research*, 87, 117-134.

Chapter 5

- Aldridge, R.J. and Mohamed, I., 1982: Conodont biostratigraphy of the early Silurian of the Oslo region. *In: Worsley, D., (Ed.), Subcommission on Silurian stratigraphy: field meeting.*, Paleontological Contributions from the University of Oslo, 278. University of Oslo, Paleontologisk Museum, 109-119.
- Bassett, M.G., 1985: Silurian stratigraphy and facies development in Scandinavia. *In: Gee, D.G. and Sturt, B.A., (Eds.), The Caledonide Orogen; Scandinavia and related areas.* John Wiley & Sons, 283-292.
- Bergström, S.M., 1980: Conodonts as paleotemperature tools in Ordovician rocks of the Caledonides and adjacent areas in Scandinavia and the British Isles. *GFF*, 117, 1-13.
- Bjørlykke, K., 1974: *Depositional History and Geochemical Composition of Lower Palaeozoic Epicontinental Sediments from the Oslo Region.* Norges Geologiske Undersøkelse. 305, Universitetsforlaget, 81 pp.
- Brenchley, P.J. and Newall, G., 1980: A facies analysis of Upper Ordovician regressive sequences in the Oslo region, Norway: a record of glacio-eustatic changes. *Palaeogeography Palaeoclimatology Palaeoecology*, 31, 1-38.
- Bruton, D.L. and Williams, S.H., (Eds.), 1982: *Field excursion guide IV: International Symposium on the Ordovician system.* Vol. 279. 217 pp.
- Bruton, D.L. and Harper, D.A.T., 1988: Arenig-Llandovery stratigraphy and faunas across the Scandinavian Caledonides. *In: Harris, A.L. and Fettes, D.J., (Eds.), The Caledonian-Appalachian Orogen.*, Geological Society Special Publications, 38, 247-268.
- Bruton, D.L., Koch, L. and Repetski, J.E., 1988: The Nærnes Section, Oslo Region, Norway: Trilobite, Graptolite and Conodont fossils reviewed. *Geological Magazine*, 125, 451-455.
- Baarli, B.G., 1987: Benthic faunal associations in the Lower Silurian Solvik Formation of the Oslo Asker districts, Norway. *Lethaia*, 20, 75-90.
- Baarli, B.G., 1990: Peripeherial bulge of a foreland basin in the Oslo region during the Early Silurian. *Palaeogeography Palaeoclimatology Palaeoecology*, 78, 149-161.
- Baarli, B.G., Keilen, H.B. and Johnson, M.E., 1999: Silurian communities of the Oslo region, Norway. *In: Boucot, A.J. and Lawson, J.D., (Eds.), Paleocommunities: a case study from the Silurian and Lower Devonian.*, World and Regional Geology, 11. Cambridge University Press, 327-349.
- Davies, N.S., Turner, P. and Sansom, I.J., 2005: A revised stratigraphy for the Ringerike Group (Upper Silurian, Oslo Region). *Norwegian Journal of Geology*, 85, 193-202.
- Davies, N.S., Turner, P. and Sansom, I.J., 2005: Caledonide influences on the Old Red Sandstone fluvial systems of the Oslo Region, Norway. *Geological Journal*, 40, 83-101.
- Dons, J.A. and Larsen, B.T., 1978: *The Oslo paleorift: a review and guide to excursions.* Norges geologiske undersøkelse. 337, 199 pp.
- Erdtmann, B.D., 1965: Outline stratigraphy of graptolite-bearing 3b (lower Ordovician) strata in the Oslo region, Norway: investigations of a section at Tøyen, Oslo. *Norsk Geologisk Tidsskrift*, 45, 481-547.
- Harper, D.A.T., Bruton, D.L. and Rasmussen, C.M.Ø., 2008: The Otta brachiopod and trilobite fauna: palaeogeography of Early Palaeozoic terranes and biotas across Baltoscandia. *Fossils and Strata*, 54, 31-40.
- Henningsmoen, G., 1957: *The trilobite family Olenidae: with description of Norwegian material and remarks on the Olenid and Tremadocian series.* Skrifter, Det Norske videnskaps-akademi i Oslo, Matematisk naturvitenskapelig klasse. 1, Universitetsforlaget, 303 pp.
- Henningsmoen, G., 1960: The Middle Ordovician of the Oslo Region, Norway 13. Trilobites of the family Asaphidae. *Norsk Geologisk Tidsskrift*, 40, 203-257.

- Henningsmoen, G., 1973: The Cambro-Ordovician boundary. *Lethaia*, 6, 432-439.
- Henningsmoen, G. and Spjeldnæs, N., 1960: Palaeozoic stratigraphy and palaeontology of the Oslo Region, Eocambrian stratigraphy of the sparagmite region, southern Norway. Guide to excursion, International Geological Congress. *Norges Geologiske Undersøkelse*, 212n, 1-30.
- Holtedahl, O., 1957: Permian sedimentary rocks, faults, Grefsenåsen. In: Holtedahl, O. and Dons, J.A., (Eds.), *Geological guide to Oslo and district*, Skrifter, Det Norske videnskaps-akademi i Oslo, I. Matematisk naturvitenskapelig klasse, 1957 3. Universitetsforlaget.
- Kiær, J., 1908: Das Obersilur im Kristianiagebiete. Eine stratigraphisch-faunistische Untersuchung. *Videnskapsselskapets Skrifter I. Matematisk-Naturvitenskapelig Klasse*, 1906 2, 1-596.
- Kiær, J., 1917: The Lower Cambrian Holmia fauna at Tømten in Norway. *Skrifter Videnskapsselskapet i Kristiania. I. Matematisk-Naturvitenskapelig Klasse*, 1916 10, 1-140.
- Martinsson, A., 1974: The Cambrian of Norden. In, *Cambrian of the British Isles, Norden and Spitsbergen.*, Lower Palaeozoic Rocks of the World, 2. John Wiley and Sons, 185-283.
- Möller, N.K., 1987: A Lower Silurian transgressive carbonate succession in Ringerike (Oslo Region, Norway). *Sedimentary Geology*, 51, 215-247.
- Möller, N.K., 1989: Facies analysis and paleogeography of Rytteråker Formation (Lower Silurian, Oslo region, Norway). *Palaeogeography Palaeoclimatology Palaeoecology*, 69, 167-192.
- Möller, N.K. and Kvingan, K., 1988: The genesis of nodular limestones in the Ordovician and Silurian of the Oslo Region (Norway). *Sedimentology*, 35, 405-420.
- Nielsen, A.T., 2004: Ordovician sea level changes: a Baltoscandian perspective. In: Webby Barry, D., Paris, F., Droser, M.L. and Percival, I.G., (Eds.), *The great Ordovician biodiversification event*. Columbia University Press, 84-93.
- Nielsen, A.T. and Schovsbo, N.H., 2006: Cambrian to basal Ordovician lithostratigraphy in southern Scandinavia. *Bulletin of the Geological Society of Denmark*, 53, 47-92.
- Nikolaisen, F., 1961: The Middle Ordovician of the Oslo Region, Norway 7. Trilobites of the suborder Cheirurina. *Norsk Geologisk Tidsskrift*, 41, 219-310.
- Nikolaisen, F., 1963: The Middle Ordovician of the Oslo Region, Norway 14. The trilobite Family Telephinidae *Norsk Geologisk Tidsskrift*, 43, 345-399.
- Nikolaisen, F., 1965: The Middle Ordovician of the Oslo Region, Norway 18. Rare trilobites of the families Olenidae, Harpidae, Ityophoridae and Cheiruridae *Norsk Geologisk Tidsskrift*, 45, 231-248.
- Nikolaisen, F., 1982: The Middle Ordovician of the Oslo Region, Norway 32. Trilobites of the family Remopleurididae. *Norsk Geologisk Tidsskrift*, 62, 231-329.
- Nikolaisen, F., 1986: Olenellid Trilobites from the Uppermost Lower Cambrian Evjevik Limestone at Tømten in Ringsaker, Norway. *Norsk Geologisk Tidsskrift*, 66, 305-309.
- Nystuen, J.P., 1981: The late Precambrian sparagmites of Southern-Norway: A major Caledonian allochthon: The Osen-Røa nappe complex. *American Journal of Science*, 281, 69-94.
- Olaussen, S., 1985: Sedimentology and lithostratigraphy of the tidal flat deposits of the Steinsfjorden Formation (Wemlock) of Ringerike, Southern Norway. *Norges Geologiske Undersøkelse Bulletin*, 399, 1-25.
- Owen, A.W., Bruton, D.L., Bockelie, J.F. and Bockelie, T.G., 1990: *The Ordovician successions of the Oslo region, Norway*. Norges Geologiske Undersøkelse Special Publication. 4, 54 pp.
- Pedersen, J.H., Karlsen, D.A., Lie, J.E., Brunstad, H. and di Primio, R., 2006: Maturity and source-rock potential of palaeozoic sediments in the NW European Northern Permian Basin. *Petroleum Geoscience*, 12, 13-28.
- Pedersen, J.H., Karlsen, D.A., Spjeldnæs, N., Backer-Owe, K., Lie, J.E. and Brunstad, H., 2007: Lower Paleozoic petroleum from southern Scandinavia: Implications to a

- Paleozoic petroleum system offshore southern Norway. *AAPG Bulletin*, 91, 1189-1212.
- Roberts, D. and Gee, D.G., 1985: An introduction to the structure of the Scandinavian Caledonides. In: Gee, D.G. and Sturt, B.A., (Eds.), *The Caledonide Orogen; Scandinavia and related areas*. John Wiley & Sons, 55-68.
- Skjeseth, S., 1963: *Contributions to the geology of the Mjøsa districts and the classical sparagmite area in southern Norway*. Norges Geologiske Undersøkelse. 220, 126 pp.
- Skjeseth, S., 1963: Contributions to the geology of the Mjøsa districts and the classical sparagmite area in southern Norway. *Norges Geologiske Undersøkelse*, 220, 1-126.
- Smelror, M., Cocks, L.R.M., Mørk, A., Neuman, B.E.E. and Nakrem, H.A., 1997: Upper Ordovician-Lower Silurian strata and biota from offshore South Norway. *Norsk Geologisk Tidsskrift*, 77, 251-268.
- Spjeldnæs, N., 1953: The Middle Ordovician of the Oslo Region, Norway 3. Graptolites dating the beds below the Middle Ordovician. *Norsk Geologisk Tidsskrift*, 31, 171-185.
- Spjeldnæs, N., 1957: The Silurian/Ordovician border in the Oslo District. *Norsk Geologisk Tidsskrift*, 37, 355-371.
- Spjeldnæs, N., 1957: The Middle Ordovician of the Oslo Region, Norway 8. Brachiopods of the Suborder Stromphomenida. *Norsk Geologisk Tidsskrift*, 37, 1-214.
- Spjeldnæs, N., 1961: Ordovician climatic zones. *Norsk Geologisk Tidsskrift*, 41, 45-77.
- Størmer, L., 1930: *Scandinavian Trinucleidae. With special reference to Norwegian species and varieties*. Skrifter, Det Norske videnskaps-akademi i Oslo, I, Matematisk naturvitenskapelig klasse. 1930 4, 111 pp.
- Størmer, L., 1934: *Merostomata from the Downtonian sandstone of Ringerike, Norway*. Skrifter, Det Norske videnskaps-akademi i Oslo, I, Matematisk naturvitenskapelig klasse. 1933 10, 125 pp.
- Størmer, L., 1939: Studies on trilobite morphology. Part I: The thoracic appendages and their phylogenetic significance. *Norsk Geologisk Tidsskrift*, 19, 143-274.
- Størmer, L., 1939: Studies on trilobite morphology. Part II: The larval development, the segmentation and the sutures, and their bearing on trilobite classification. *Norsk Geologisk Tidsskrift*, 21, 49-164.
- Størmer, L., 1953: The Middle Ordovician of the Oslo Region, Norway. 1. Introduction to stratigraphy. *Norsk Geologisk Tidsskrift*, 31, 37-141.
- Størmer, L., 1953: The Middle Ordovician of the Oslo Region, Norway 1. Introduction to stratigraphy. *Norsk Geologisk Tidsskrift*, 31, 37-141.
- Tongiorgi, M., Bruton, D.L. and Di, M.A., 2003: Taxonomic composition and palaeobiogeographic significance of the acritarch assemblages from the Tremadoc-Arenig (Hunneberg, Billingen, and lower Volkhov Stages) of the Oslo region. *Bollettino della Societa Paleontologica Italiana*, 42, 205-224.
- Torsvik, T.H., 1998: Palaeozoic palaeogeography: a North Atlantic viewpoint. *GFF*, 120, 109-118.
- Torsvik, T.H. and Cocks, L.R.M., 2004: Earth geography from 400 to 250 Ma: a palaeomagnetic, faunal and facies review. *Journal of the Geological Society*, 161, 555-572.
- Torsvik, T.H. and Cocks, L.R.M., 2005: Norway in space and time: A Centennial cavalcade. *Norwegian Journal of Geology*, 85, 73-86.
- Vidal, G. and Nystuen, J.P., 1990: Lower Cambrian Achritharchs and the Proterozoic Cambrian boundary in Southern Norway. *Norsk Geologisk Tidsskrift*, 70, 191-222.
- Vidal, G. and Nystuen, J.P., 1990: Micropaleontology, depositional environment, and biostratigraphy of the Upper Proterozoic Hedmark Group, Southern Norway. *American Journal of Science*, 290A, 170-211.
- Williams, S.H. and Bruton, D.L., 1983: The Caradoc-Ashgill boundary in the central Oslo region and associated graptolite faunas. *Norsk Geologisk Tidsskrift*, 63, 147-191.
- Worsley, D., (Ed.), 1982: *IUGS Field Meeting, Oslo Region*. 175 pp.

Worsley, D., Aarhus, N., Bassett, M.G., Howe, M.P.A., Mørk, A. and Olausen, S., 1983: The Silurian succession of the Oslo Region. *Norges Geologiske Undersøkelse*, 384, 1-57.

Chapter 6 and 7

- Andersen, T.B. and Andresen, A., 1994: Stratigraphy, tectonostratigraphy and the accretion of outboard terranes in the Caledonides of Sunnhordland, West Norway. *Tectonophysics*, 231, 71-84.
- Andersen, T.B., Osmundsen, P.T. and Jolivet, L., 1994: Deep-crustal fabrics and a model for the extensional collapse of the Southwest Norwegian Caledonides. *Journal of Structural Geology*, 16, 1191-1203.
- Andersen, T.B., Jamtveit, B., Dewey, J.F. and Swensson, E., 1991: Subduction and exhumation of continental-crust: major mechanisms during continent-continent collision and orogenic extensional collapse, a model based on the South Norwegian Caledonides. *Terra Nova*, 3, 303-310.
- Anderson, D.S. and Cross, T.A., 2001: Large-scale cycle architecture in continental strata, Hornelen basin (Devonian), Norway. *Journal of Sedimentary Research*, 71, 255-271.
- Andreasson, P.G. and Albrecht, L., 1995: Derivation of 500-MA eclogites from the passive margin of Baltica and a note on the tectonometamorphic heterogeneity of eclogite-bearing crust. *Geological Magazine*, 132, 729-738.
- Andresen, A. and Steltenpohl, M.G., 1994: Evidence for ophiolite obduction, terrane accretion and polyorogenic evolution of the North Scandinavian Caledonides. *Tectonophysics*, 231, 59-70.
- Barnes, C.G., Yoshinobu, A.S., Prestvik, T., Nordgulen, Ø., Karlsson, H.R. and Sundvoll, B., 2002: Mafic magma intraplating: Anatexis and hybridization in arc crust, Bindal Batholith, Norway. *Journal of Petrology*, 43, 2171-2190.
- Barnes, C.G., Frost, C.D., Yoshinobu, A.S., McArthur, K., Barnes, M.A., Allen, C.M., Nordgulen, Ø. and Prestvik, T., 2007: Timing of sedimentation, metamorphism, and plutonism in the Helgeland Nappe Complex, north-central Norwegian Caledonides. *Geosphere*, 3, 683-703.
- Bjørlykke, K.O., 1910: "Fjeldproblemets" stilling i Norge og Sverige ved utgangen av 1909. *Norsk Geologisk Tidsskrift*, 2, 1-20.
- Bjørnerud, M., Decker, P.L. and Craddock, C., 1991: Reconsidering caledonian deformation in Southwest Spitsbergen. *Tectonics*, 10, 171-190.
- Blieck, A., Goujet, D. and Janvier, P., 1987: The vertebrate stratigraphy of the Lower Devonian (Red Bay Group and Wood Bay Formation) of Svalbard. *Modern Geology*, 1987, 197-217.
- Blomeier, D., Wisshak, M., Dallmann, W., Volohonsky, E. and Freiwald, A., 2003: Facies analysis of the Old Red Sandstone of Spitsbergen (Wood Bay Formation): Reconstruction of the depositional environments and implications of basin development. *Facies*, 49, 151-174.
- Braathen, A., Osmundsen, P.T., Nordgulen, Ø., Roberts, D. and Meyer, G.B., 2002: Orogen-parallel extension of the Caledonides in northern Central Norway: an overview. *Norwegian Journal of Geology*, 82, 225-241.
- Burov, Y.P. and Semevsij, D.V., 1979: The tectonic structure of Devonian Graben (Spitsbergen). *Norsk Polarinstittutts Skrifter*, 167, 239-248.
- Chauvet, A. and Seranne, M., 1994: Extension-parallel folding in the Scandinavian Caledonides: implications for late-orogenic processes. *Tectonophysics*, 238, 31-54.
- Chorowicz, J., 1992: Gravity-induced detachment of Devonian basin sediments in northern Svalbard. In: Dallmann, W.K., Andresen, A. and Krill, A.G., (Eds.), *International conference on Post-Caledonian tectonic evolution of Svalbard*, Norsk Geologisk Tidsskrift, 72, 21-25.

- Corfu, F., Ravnå, E.J.K. and Kullerud, K., 2003: A Late Ordovician U-Pb age for the Tromsø Nappe eclogites, Uppermost Allochthon of the Scandinavian Caledonides. *Contributions to Mineralogy and Petrology*, 145, 502-513.
- Corfu, F., Roberts, R.J., Torsvik, T.H., Ashwal, L.D. and Ramsay, D.M., 2007: Peri-Gondwanan elements in the Caledonian Nappes of Finnmark, Northern Norway: Implications for the paleogeographic framework of the Scandinavian Caledonides. *American Journal of Science*, 307, 434-458.
- Corfu, F., Torsvik, T.H., Andersen, T.B., Ashwal, L.D., Ramsay, D.M. and Roberts, R.J., 2006: Early Silurian mafic-ultramafic and granitic plutonism in contemporaneous flysch, Magerøy, northern Norway: U-Pb ages and regional significance. *Journal of the Geological Society*, 163, 291-301.
- Dunning, G.R. and Pedersen, R.B., 1988: U/Pb ages of ophiolites and arc-related plutons of the Norwegian Caledonides: implications for development of Iapetus. *Contributions to Mineralogy and Petrology*, 98, 13-23.
- Eide, E.A., Haabesland, N.E., Osmundsen, P.T., Andersen, T.B., Roberts, D. and Kendrick, M.A., 2005: Modern techniques and Old Red problems: determining the age of continental sedimentary deposits with Ar-40/Ar-39 provenance analysis in west-central Norway. *Norwegian Journal of Geology*, 85, 133-149.
- Folkestad, A. and Steel, R.J., 2001: The alluvial cyclicity in Hornelen basin (Devonian of western Norway) revisited: a multiparameter sedimentary analysis and stratigraphic implications. In: Martinsen, O.J. and Dreyer, T., (Eds.), *Sedimentary environments offshore Norway: Palaeozoic to Recent*, NPF Special Publication. Elsevier, 39-50.
- Fossen, H., 1992: The role of extensional tectonics in the Caledonides of South Norway. *Journal of Structural Geology*, 14, 1033-1046.
- Fossen, H., 2000: Extensional tectonics in the Caledonides: Synorogenic or postorogenic? *Tectonics*, 19, 213-224.
- Fossen, H. and Holst, T.B., 1995: Northwest-verging folds and the northwestward movement of the Caledonian Jotun Nappe, Norway. *Journal of Structural Geology*, 17, 3-15.
- Fossen, H. and Dunlap, W.J., 1998: Timing and kinematics of Caledonian thrusting and extensional collapse, southern Norway: Evidence from Ar-40/Ar-39 thermochronology. *Journal of Structural Geology*, 20, 765-781.
- Fossen, H. and Hurich, C.A., 2005: The Hardangerflord Shear Zone in SW Norway and the North Sea: a large-scale low-angle Shear Zone in the Caledonian crust. *Journal of the Geological Society*, 162, 675-687.
- Friend, P.F., 1961: The Devonian stratigraphy of north and central Vestspitsbergen. *Proceedings of the Yorkshire Geological Society*, 33, 77-118.
- Friend, P.F. and Moody, S.M., 1972: Sedimentation of the Wood Bay Formation (Devonian) of Spitsbergen: regional analysis of a late orogenic basin. *Norsk Polarinstitutt Skrifter*, 157, 7-77.
- Friend, P.F. and Williams, B.P.J., (Eds.), 2000: *New perspectives on the Old Red Sandstone*. Vol. 180. 623 pp.
- Friend, P.F., Harland, W.B., Rogers, D.A., Snape, I. and Thornley, R.S.W., 1997: Late Silurian and Early Devonian stratigraphy and probable strike-slip tectonics in northwestern Spitsbergen. *Geological Magazine*, 134, 459-479.
- Gee, D.G., 1978: Nappe displacement in Scandinavian Caledonides. *Tectonophysics*, 47, 393-419.
- Gee, D.G. and Sturt, B.A., (Eds.), 1985: *The Caledonide orogen: Scandinavia and related areas*. Wiley. 2 vols.
- Gromet, L.P. and Gee, D.G., 1998: An evaluation of the age of high-grade metamorphism in the Caledonides of Biskayerhalvøya, NW Svalbard. *GFF*, 120, 199-208.
- Harland, W.B., Cutbill, J.L., Friend, P.F., Gobbett, D.J., Holliday, D.W., Maton, P.I., Parker, J.R. and Wallis, R.H., 1974: The Billefjorden Fault zone, Spitsbergen; the long history of a major tectonic lineament. *Norsk Polarinstitutt Skrifter*, 161, 1-72.
- Hossack, J.R., 1968: Pebble deformation and thrusting in Bygdin Area (Southern Norway). *Tectonophysics*, 5, 315-339.

- Hossack, J.R., 1984: The geometry of listric growth faults in the Devonian basins of Sunnfjord, W Norway. *Journal of the Geological Society*, 141, 629-637.
- Hossack, J.R. and Cooper, M.A., 1986: Collision tectonics in the Scandinavian Caledonides. *In: Coward, M.P. and Ries, A.C., (Eds.), Collision tectonics.*, Geological Society Special Publications, 19, 287-304.
- Hurich, C.A. and Kristoffersen, Y., 1988: Deep structure of the Caledonide orogen in southern Norway: new evidence from marine seismic reflection profiling. *In: Kristoffersen, Y., (Ed.), Progress in studies of the lithosphere in Norway: proceedings of a meeting reporting progress in Norwegian research in the International Lithosphere Programme*, Norges Geologiske Undersøkelse Special Publication, 3, Geological Survey of Norway, 96-101.
- Jarvik, E., 1949: On the Middle Devonian crossopterygians from the Hornelen field in western Norway. *Universitetet i Bergen Årbok, Naturvidenskapelig Række*, 8, 1-48.
- Johansson, Å., Gee, D.G., Larionov, A.N., Ohta, Y. and Tebenkov, A.M., 2005: Grenvillian and Caledonian evolution of eastern Svalbard: a tale of two orogenies. *Terra Nova*, 17, 317-325.
- Johansson, Å., Larionov, A.N., Gee, D.G., Ohta, Y., Tebenkov, A.M. and Sandelin, S., 2004: Grenvillian and Caledonian tectono-magmatic activity in northeasternmost Svalbard. *In: Gee, D.G. and Pease, V., (Eds.), The Neoproterozoic Timanide Orogen of eastern Baltica.*, Geological Society of London Memoir, 30, 207-232.
- Kirkland, C.L., Daly, J.S. and Whitehouse, M.J., 2005: Early Silurian magmatism and the Scandian evolution of the Kalak Nappe Complex, Finnmark, Arctic Norway. *Journal of the Geological Society*, 162, 985-1003.
- Krabbendam, M. and Dewey, J.F., 1998: Exhumation of UHP rocks by transtension in the Western Gneiss Region, Scandinavian Caledonides. *In: Holdsworth, R.E., Strachan, R.A. and Dewey, J.F., (Eds.), Continental transpresional and transtensional tectonics*, Geological Society Special Publications, 135, 159-181.
- Lamar, D.L., Reed, W.E. and Douglass, D.N., 1986: Billefjorden Fault Zone, Spitsbergen: Is it part of a major Late Devonian transform? *Geological Society of America Bulletin*, 97, 1083-1088.
- Manby, G. and Lyberis, N., 1992: Tectonic evolution of the Evonian Basin of Northern Svalbard. *Norsk Geologisk Tidsskrift*, 72, 7-19.
- McCann, A.J. and Dallmann, W.K., 1996: Reactivation history of the long-lived Billefjorden Fault Zone in north central Spitsbergen, Svalbard. *Geological Magazine*, 133, 63-84.
- Milnes, A.G., Wennberg, O.P., Skår, Ø. and Koestler, A.G., 1997: Contraction, extension and timing in the South Norwegian Caledonides: the Sognefjord transect. *In: Burg, J.-P. and Ford, M., (Eds.), Orogeny through time*, Geological Society Special Publication, 121, 123-148.
- Murasov, L.G. and Mokin, J.I., 1979: Stratigraphic subdivision of Devonian deposits of Spitsbergen. *Norsk Polarinstitutt Skrifter*, 167, 249-261.
- Norton, M.G., 1986: Late caledonide extension in Western Norway: a response to extreme crustal thickening. *Tectonics*, 5, 195-204.
- Osmundsen, P.T., Braathen, A., Nordgulen, O., Roberts, D., Meyer, G.B. and Eide, E., 2003: The Devonian Nesna shear zone and adjacent gneiss-cored culminations, North-Central Norwegian Caledonides. *Journal of the Geological Society*, 160, 137-150.
- Roberts, D., 2003: The Scandinavian Caledonides: event chronology, palaeogeographic settings and likely, modern analogues. *Tectonophysics*, 365, 283-299.
- Roberts, D., Nordgulen, Ø. and Melezhik, V., 2007: The Uppermost Allochthon in the Scandinavian Caledonides: From a Laurentian ancestry through Taconian orogeny to Scandian crustal growth on Baltica. *In: Hatcher, R.D.J., Carlson, M.P., McBride, J.H. and Martinez-Catalan, J.R., (Eds.), 4-D framework of continental crust*, Geological Society of America Memoir, 200, 357-377.
- Roberts, R.J., Corfu, F., Torsvik, T.H., Ashwal, L.D. and Ramsay, D.M., 2006: Short-lived mafic magmatism at 560-570 Ma in the northern Norwegian Caledonides: U-Pb zircon ages from the Seiland Igneous Province. *Geological Magazine*, 143, 887-903.

- Rykkelid, E. and Andresen, A., 1994: Late Caledonide extension in Western Norway: a response to extreme crustal thickening. *Tectonophysics*, 231, 157-169.
- Scharer, U. and Labrousse, L., 2003: Dating the exhumation of UHP rocks and associated crustal melting in the Norwegian Caledonides. *Contributions to Mineralogy and Petrology*, 144, 758-770.
- Smelror, M. et al., 2007: Towards a 4D topographic view of the Norwegian sea margin. *Global and Planetary Change*, 58, 382-410.
- Smithson, S.B., Ramberg, I.B. and Grønlie, G., 1974: Gravity interpretation of Jotun Nappe of Norwegian Caledonides. *Tectonophysics*, 22, 205-222.
- Steltenpohl, M.G., Kassos, G. and Andresen, A., 2006: Retrograded eclogite-facies pseudotachylytes as deep-crustal paleoseismic faults within continental basement of Lofoten, north Norway. *Geosphere*, 2, 61-72.
- Tucker, R.D., Robinson, P., Solli, A., Gee, D.G., Thorsnes, T., Krogh, T.E., Nordgulen, O. and Bickford, M.E., 2004: Thrusting and extension in the scandian hinterland, Norway: New U-Pb ages and tectonostratigraphic evidence. *American Journal of Science*, 304, 477-532.
- Tucker, R.D., Robinson, P., Solli, A., Gee, D.G., Thorsnes, T., Krogh, T.E., Nordgulen, Ø. and Bickford, M.E., 2004: Thrusting and extension in the scandian hinterland, Norway: New U-Pb ages and tectonostratigraphic evidence. *American Journal of Science*, 304, 477-532.
- van Roermund, H.L.M., Carswell, D.A., Drury, M.R. and Heijboer, T.C., 2002: Microdiamonds in a megacrystic garnet websterite pod from Bardane on the island of Fjørtoft, western Norway: Evidence for diamond formation in mantle rocks during deep continental subduction. *Geology*, 30, 959-962.
- Walsh, E.O., Hacker, B.R., Gans, P.B., Grove, M. and Gehrels, G., 2007: Protolith ages and exhumation histories of (ultra)high-pressure rocks across the Western Gneiss Region, Norway. *Geological Society of America Bulletin*, 119, 289-301.
- Wennberg, O.P., Milnes, A.G. and Winsvold, I., 1998: The northern Bergen Arc Shear Zone: an oblique-lateral ramp in the Devonian extensional detachment system of western Norway. *Norsk Geologisk Tidsskrift*, 78, 169-184.
- Wilks, W.J. and Cuthbert, S.J., 1994: The evolution of the Hornelen Basin detachment system, Western Norway: implications for the style of late orogenic extension in the Southern Scandinavian Caledonides. *Tectonophysics*, 238, 1-30.
- Worsley, D. and Aga, O.J., 1986: *The geological history of Svalbard evolution of an arctic archipelago*. Statoil 120 pp.

Chapter 8 and 9

- Anthony, E.Y., Segalstad, T.V. and Neumann, E.R., 1989: An unusual mantle source region for nephelinites from the Oslo Rift, Norway. *Geochimica et Cosmochimica Acta*, 53, 1067-1076.
- Barth, T.F.W., 1944: *Studies on the igneous rock complex of the Oslo Region: II. Systematic petrography of the plutonic rocks*. Skrifter, Det Norske videnskaps-akademi i Oslo, Matematisk naturvitenskapelig klasse. 9, 104 pp.
- Bjørlykke, K., 1983: Subsidence and tectonics in Late Precambrian and Palaeozoic sedimentary basins of Southern Norway: Geological Survey of Norway 1858-1983; 125-year anniversary volume. *Norges Geologiske Undersøkelse*, 380, 159-172.
- Bjørlykke, K. and Englund, J.O., 1979: Geochemical response to Upper Precambrian rift basin sedimentation and Lower Paleozoic epicontinental sedimentation in South-Norway. *Chemical Geology*, 27, 271-295.

- Bockelie, J.F., 1978: The Oslo Region during the Early Palaeozoic. *In: Ramberg, I.B. and Neumann, E.R., (Eds.), Tectonics and geophysics of continental rifts*, NATO ASI Series. Series C: Mathematical and Physical Sciences, 37. D. Reidel Publishing Company, 195-202.
- Brøgger, W.C., 1894: The basic eruptive rocks of Gran. *Quarterly journal of the Geological Society of London*, 50, 15-38.
- Brøgger, W.C., 1931: *Die Eruptivgesteine des Oslogebietes: V. Der grosse Hurumvulkan* Skrifter, Det Norske videnskaps-akademi i Oslo, I. Matematisk naturvitenskapelig klasse. 6, 147 pp.
- Brøgger, W.C., 1933: Om rombeporfyrgangene og de dem ledsagende forkastninger i Oslofeltet. *Norges Geologiske Undersøkelse*, 139, 1-51.
- Brøgger, W.C., 1933: *Die Eruptivgesteine des Oslogebietes: VII. Die chemische Zusammensetzung der Eruptivgesteine des Oslogebietes*. Skrifter, Det Norske videnskaps-akademi i Oslo, I. Matematisk naturvitenskapelig klasse. 1933 1, 147 pp.
- Cloos, H., 1928: Bau und Bewegung der Gebirge in Nordamerika, Skandinavien und Mitteleuropa. *Fortschritte der Geologie und Paläontologie*, 7, 241-327.
- Dietrich, R.V., Heier, K.S. and Taylor, S.R., 1965: *Studies on the igneous rock complex of the Oslo Region. XX. Petrology and geochemistry of ekerite*. Skrifter, Det Norske videnskaps-akademi i Oslo, I. Matematisk naturvitenskapelig klasse. Ny serie. 19, 31 pp.
- Dons, J.A. and Györy, E., 1967: Permian sediments, lavas, and faults in the Kolsås area W of Oslo. *Norsk Geologisk Tidsskrift*, 47, 57-77.
- Dons, J.A. and Larsen, B.T., 1978: *The Oslo paleorift: a review and guide to excursions*. Norges geologiske undersøkelse. 337, 199 pp.
- Færseth, R., Mac Intyre, R.M. and Naterstad, J., 1976: Mesozoic alkaline dykes in the Sunnhordland region, western Norway: ages, geochemistry and regional significance. *Lithos*, 9, 331-345.
- Glennie, K.W., 1995: Permian and Triassic rifting in Northwest Europe. *In: Boldy, S.A.R., (Ed.), Permian and Triassic rifting in Northwest Europe*, Geological Society Special Publications, 167, 1-5.
- Glennie, K.W., 1998: Lower Permian - Rotliegend. *In: Glennie, K.W., (Ed.), Petroleum geology of the North Sea: basic concepts and recent advances*. Blackwell Science, 137-173.
- Goldschmidt, V.M., 1911: *Die Kontaktmetamorphose im Kristianiagebiet*. Skrifter, Det Norske videnskaps-akademi i Oslo, Matematisk naturvitenskapelig klasse. 1911 11, 405 pp.
- Hacker, B.R. and Gans, P.B., 2005: Continental collisions and the creation of ultrahigh-pressure terranes: Petrology and thermochronology of nappes in the central Scandinavian Caledonides. *Geological Society of America Bulletin*, 117, 117-134.
- Heeremans, M., Larsen, B.T. and Stel, H., 1996: Paleostress reconstruction from kinematic indicators in the Oslo Graben, Southern Norway: new constraints on the mode of rifting. *Tectonics*, 266, 55-79.
- Heeremans, M., Larsen, B.T. and Stel, H., 1997: Paleostress reconstruction from kinematic indicators in the Oslo Graben, southern Norway: new constraints on the mode of rifting. *Tectonophysics*, 277, 339-344.
- Heeremans, M., Faleide, J.I. and Larsen, B.T., 2004: Late Carboniferous-Permian tectonics and magmatic activity in the Skagerrak, Kattegat and the North Sea. *In: Wilson, M., Neumann, E.R., Davies, G.R., Timmerman, M.J., Heeremans, M. and Larsen Bjørn, T., (Eds.), Permo-Carboniferous magmatism and rifting in Europe.*, Geological Society Special Publications, 223, 75-88.
- Hjelle, A. and Brekke, A., 1993: *Geology of Svalbard*. Polarhåndbok. 7, Norsk polarinstitutt, 162 pp.
- Holtedahl, O. and Dons, J.A., (Eds.), 1957: *Geological guide to Oslo and district (with map 1:50 000)*. Vol. 1957 3. 86 pp.
- Huseby, E.S., 1971: Studies on the igneous rock complex of the Oslo Region. XXII. Permian igneous dikes in the southern part of the Bærum cauldron. *Skrifter, Det Norske*

- videnskaps-akademi i Oslo, I. Matematisk naturvitenskapelig klasse. Ny serie, 30, 1-16.*
- Høeg, O.A., 1936: The Lower Permian flora of the Oslo Region. *Norsk Geologisk Tidsskrift*, 16, 1-43.
- Larsen, B.T. and Sundvoll, B., 1984: The Oslo Graben: a passive high-volcanicity continental rift. *Eos Transactions*, 65, 1084.
- Larsen, G.B., Elvebakk, G., Henriksen, L.B., Kristensen, S.E., Nilsson, I., Samuelsberg, T.J., Svånå, T., Stemmerik, L. and Worsley, D., 2002: Upper Palaeozoic lithostratigraphy of the Southern Norwegian Barents Sea. *NPD-Bulletin*.
- Neumann, E.R., 1980: Petrogenesis of the Oslo Region larvikites and associated rocks. *Journal of Petrology*, 21, 499-531.
- Neumann, E.R. and Ramberg, I.B., 1977: *Petrology and geochemistry of continental rifts*. NATO ASI Series. Series C: Mathematical and Physical Sciences. 36, D. Reidel Publishing Company, 296 pp.
- Neumann, E.R., Larsen, B.T. and Sundvoll, B., 1985: Compositional variations among gabbroic intrusions in the Oslo Rift. *Lithos*, 18, 35-59.
- Neumann, E.R., Olsen, K.H. and Baldrige, W.S., 1995: The Oslo Rift. *In: Olsen, K.H., (Ed.), Continental rifts; evolution, structure, tectonics.*, Developments in Geotectonics, 25. Elsevier, 345-373.
- Neumann, E.R., Olsen, K.H., Baldrige, W.S. and Sundvoll, B., 1992: The Oslo Rift: a review. *Tectonophysics*, 208, 1-18.
- Neumann, E.R., Wilson, M., Heeremans, M., Spencer, E.A., Obst, K., Timmerman, M.J. and Kristein, L., 2004: Carboniferous-Permian rifting and magmatism in southern Scandinavia, the North Sea and northern Germany: a review. *In: Wilson, M., Neumann, E.R., Davies, G.R., Timmerman, M.J., Heeremans, M. and Larsen, B.T., (Eds.), Permo-Carboniferous magmatism and rifting in Europe.*, Geological Society Special Publications, 223, 11-40.
- Olaussen, S., 1981: Marine incursion in Upper Paleozoic sedimentary rocks of the Oslo region, Southern Norway. *Geological Magazine*, 118, 281-&.
- Olaussen, S., Larsen, B.T. and Steel, R., 1994: The Upper Carboniferous-Permian Oslo Rift: basin fill in relation to tectonic development. *In: Embry, A.F., Beauchamp, B. and Glass, D.J., (Eds.), Pangea: global environments and resources.*, Canadian Society of Petroleum Geologists Memoir, 17, 175-197.
- Ramberg, I.B., 1972: Braid perthite in nepheline syenite pegmatite, Langesundsfjorden, Oslo Region (Norway). *Lithos*, 5, 281-306.
- Ramberg, I.B., 1972: Crustal structure across Permian Oslo Graben from gravity measurements. *Nature-Physical Science*, 240, 149-&.
- Ramberg, I.B., 1976: *Gravity interpretation of the Oslo Graben and associated igneous rocks*. Norges Geologiske Undersøkelse. 325, 194 pp.
- Ramberg, I.B. and Smithson, S.B., 1975: Geophysical interpretation of crustal structure along southeastern coast of Norway and Skagerrak. *Geological Society of America Bulletin*, 86, 769-774.
- Ramberg, I.B. and Larsen, B.T., 1978: Tectonomagmatic evolution. *In: Dons, J.A. and Larsen, B.T., (Eds.), The Oslo Paleorift: a review and guide to excursions.*, Norges Geologiske Undersøkelse, 337, 55-73.
- Ramberg, I.B. and Neumann, E.R., 1978: *Tectonics and geophysics of continental rifts*. NATO ASI Series. Series C: Mathematical and Physical Sciences. 37, D. Reidel Publishing Company, 444 pp.
- Roberts, D., 2003: The Scandinavian Caledonides: event chronology, palaeogeographic settings and likely, modern analogues. *Tectonophysics*, 365, 283-299.
- Rosendahl, H., 1929: The porphyry-sandstone sequence in Brumunddal. *Norsk Geologisk Tidsskrift*, 10, 367-438.
- Schou Jensen, E. and Neumann, E.R., 1988: Volcanic rocks on Jeløya, Central Oslo region: the mafic lavas. *Norsk Geologisk Tidsskrift*, 68, 289-308.

- Smith, D.B. and Taylor, J.C.M., 1992: Permian. *In: Cope, J.C.W., Ingham, J.K. and Rawson, P.F., (Eds.), Atlas of Paleogeography and Lithofacies Geological Society of London Memoir, 87-96.*
- Stemmerik, L. and Worsley, D., 1995: Permian history of the Barents Shelf area. *In: Scholle, P.A., Peyret, T.M. and Ulmer-Scholle, D.S., (Eds.), The Permian of northern Pangea 2: Sedimentary basins and economic resources. Springer Verlag, 81-97.*
- Stemmerik, L. and Worsley, D., 2005: 30 years on: Arctic Upper Palaeozoic stratigraphy, depositional evolution and hydrocarbon prospectivity. *Norwegian Journal of Geology, 85, 151-168.*
- Stemmerik, L., Ineson, J.R. and Mitchell, J.G., 2000: Stratigraphy of the Rotliegend Group in the Danish part of the Northern Permian Basin, North Sea. *Journal of the Geological Society, 157, 1127-1136.*
- Størmer, L., 1935: Contribution to the geology of the southern part of the Oslofjord: the rhomb porphyry conglomerate with remarks on younger tectonics. *Norsk Geologisk Tidsskrift, 15, 43-133.*
- Sundvoll, B. and Larsen, B.T., 1994: Architecture and early evolution of the Oslo Rift. *Tectonophysics, 240, 173-189.*
- Sundvoll, B., Larsen, B.T. and Wandaas, B., 1992: Early magmatic phase in the Oslo Rift and its related stress regime. *Tectonophysics, 208, 37-54.*
- Sundvoll, B., Neumann, E.R., Larsen, B.T. and Tuen, E., 1990: Age relations among Oslo Rift magmatic rocks: implications for tectonic and magmatic modeling. *Tectonophysics, 178, 67-87.*
- Sæther, E., 1962: *Studies of igneous rock complex of the Oslo Region, XVIII: General investigation of the igneous rocks in the area north of Oslo.* Skrifter, Det Norske videnskaps-akademi i Oslo, Matematisk naturvitenskapelig klasse. Ny serie. 1, 184 pp.
- Taylor, J.C.M., 1998: Upper Permian - Zechstein. *In: Glennie, K.W., (Ed.), Petroleum geology of the North Sea: basic concepts and recent advances.* Blackwell Science, 174-211.
- Torsvik, T.H., Smethurst, M.A., Burke, K. and Steinberger, B., 2008: Long term stability in the deep mantle structure: evidence from the ~300 Ma Skagerrak-centered Large Igneous Province (the SCLIP). *Earth and Planetary Science Letters, 267, 444-452.*
- Williams, S.H. and Bruton, D.L., 1983: The Caradoc-Ashgill boundary in central Oslo region and associated graptolite faunas. *Norsk Geologisk Tidsskrift, 63, 147-191.*
- Wilson, M., Neumann, E.R., Davies, G.R., Timmerman, M.J., Heeremans, M. and Larsen, B.T., 2004: Permo-Carboniferous magmatism and rifting in Europe: introduction. *In: Wilson, M., Neumann, E.R., Davies, G.R., Timmerman, M.J., Heeremans, M. and Larsen, B.T., (Eds.), Permo-Carboniferous magmatism and rifting in Europe, Geological Society Special Publications, 223, 1-10.*
- Worsley, D., Agdestein, T., Gjelberg, J.G., Kirkemo, K., Mørk, A., Nilsson, I., Olausson, S., Steel, R.J. and Stemmerik, L., 2001: The geological evolution of Bjørnøya, Arctic Norway: implications for the Barents Shelf. *Norsk Geologisk Tidsskrift, 81, 195-234.*
- Wright, V.P., 1980: Climatic fluctuations in the Lower Carboniferous. *Naturwissenschaften, 67, 252-253.*
- Ziegler, P.A., 1978: North-Western Europe: tectonics and basic development. *Geologie en mijnbouw, 57, 589-626.*
- Ziegler, P.A., 1990: Tectonic and paleogeographic development of the North Sea rift system. *In: Blundell, D.J. and Gibbs, A.D., (Eds.), Tectonic evolution of the North Sea rifts.* Clarendon Press, 1-36.
- Åm, K., 1973: Geophysical indications of Permian and Tertiary igneous activity in the Skagerrak. *Norges Geologiske Undersøkelse, 287, 1-25.*

Chapter 10-14

- Badley, M.E., Price, J.D., Dahl, C.R. and Agdestein, T., 1988: The structural evolution of the Northern Viking Graben and its bearing upon extensional modes of basin formation. *Journal of the Geological Society*, 145, 455-472.
- Barton, P. and Wood, R., 1984: Tectonic evolution of the North-Sea Basin: crustal stretching and subsidence. *Geophysical Journal of the Royal Astronomical Society*, 79, 987-1022.
- Beach, A., 1986: A deep seismic-reflection profile across the Northern North-Sea. *Nature*, 323, 53-55.
- Bergh, S.G., Eig, K., Klovjan, O.S., Henningsen, T., Olesen, O. and Hansen, J.A., 2007: The Lofoten-Vesterålen continental margin: a multiphase Mesozoic-Palaeogene rifted shelf as shown by offshore-on shore brittle fault-fracture analysis. *Norwegian Journal of Geology*, 87, 29-58.
- Berglund, L.T., Augustson, J., Færseth, R., Gjelberg, J. and Ramberg-Moe, H., 1986: The evolution of the Hammerfest Basin. In: Spencer, A.M., (Ed.), *Habitat of hydrocarbons on the Norwegian continental shelf; proceedings of an international conference*. Graham & Trotman, 319-338.
- Blystad, P., Brekke, H., Færseth, R.B., Larsen, B.T., Skogseid, J. and Tørudbakken, B., 1995: *Structural elements of the Norwegian continental shelf: Part II: The Norwegian Sea region*. NPD-bulletin. 8, Oljedirektoratet, 45 pp.
- Brekke, H., 2000: The tectonic evolution of the Norwegian Sea continental margin with emphasis on the Vøring and Møre basins. In: Nøttvedt, A., (Ed.), *Dynamics of the Norwegian margin*, Geological Society Special Publications, 167, 327-378.
- Brekke, H. and Riis, F., 1987: Tectonics and basin evolution of the Norwegian Shelf between 62-degrees-N and 72-degrees-N. *Norsk Geologisk Tidsskrift*, 67, 295-321.
- Brekke, H., Sjulstad, H.I., Magnus, C. and Williams, R.W., 2001: Sedimentary environments offshore Norway: an overview. In: Martinsen, O.J. and Dreyer, T., (Eds.), *Sedimentary environments offshore Norway: Palaeozoic to Recent*, NPF Special Publication, 10. Elsevier, 7-37.
- Bruce, D.R.S. and Stemmerik, L., 2003: Carboniferous. In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), *The millennium atlas; petroleum geology of the central and northern North Sea*. Geological Society of London, 83-89.
- Bugge, T., Mangerud, G., Elvebakk, G., Mørk, A., Nilsson, I., Fanavoll, S. and Vigran, J.O., 1995: Upper Paleozoic succession on the Finnmark Platform, Barents Sea. *Norsk Geologisk Tidsskrift*, 75, 3-30.
- Bugge, T., Elvebakk, G., Fanavoll, S., Mangerud, G., Smelror, M., Weiss, H.M., Gjelberg, J., Kristensen, S.E. and Nilsen, K., 2002: Shallow stratigraphic drilling applied in hydrocarbon exploration of the Nordkapp Basin, Barents Sea. *Marine and Petroleum Geology*, 19, 13-37.
- Bukovics, C., Cartier, E.G., Shaw, N.D. and Ziegler, P.A., 1984: Structure and development of the mid-Norway continental margin. In: Spencer, A.M., Johnsen, S.O., Mørk, A., Nysæther, E., Songstad, P. and Spinnangr, A., (Eds.), *Petroleum geology of the North European margin*. Graham and Trotman, 407-423.
- Cameron, T.D.J., Bulat, J. and Mesdag, C.S., 1993: High-resolution seismic profile through a Late Cenozoic delta-complex in the Southern North-Sea. *Marine and Petroleum Geology*, 10, 591-599.
- Cande, S.C. and Kent, D.V., 1992: A new geomagnetic polarity time scale for the late Cretaceous and Cenozoic. *Journal of Geophysical Research-Solid Earth*, 97, 13917-13951.
- Checci, M., 1993: Carbonate sequence stratigraphy: applications to the determination of play models in the Upper Palaeozoic of the Barents Sea, offshore northern Norway. In: Vorren, T.O., Bergsager, E., Dahl Stamnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), *Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 419-438.

- Copestake, P., Sims, A., Crittenden, S., Hamar, G., Ineson, J., Rose, P., Tringham, M. and Bathurst, P., 2003: Lower Cretaceous. *In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), The millennium atlas; petroleum geology of the central and northern North Sea.* Geological Society of London, 191-211.
- Coward, M.P., 1986: Heterogeneous stretching, simple shear and basin development. *Earth and Planetary Science Letters*, 80, 325-336.
- Cutbill, J.L. and Challinor, A., 1965: Revision of the stratigraphical scheme for the Carboniferous and Permian rocks of Spitsbergen and Bjørnøya. *Geological Magazine*, 102, 418-439.
- Dahl, N. and Solli, T., 1993: The structural evolution of the Snorre Field and surrounding areas. *In: Parker, J.R., (Ed.), Petroleum geology of Northwest Europe: Proceedings of the 4th conference.* Geological Society, 1159-1166.
- Dalland, A., 1981: Mesozoic sedimentary succession at Andøy, northern Norway, and relation to structural development of the North Atlantic area. *In: Kerrand, J.W. and Fergusson, A.J., (Eds.), Geology of the North Atlantic borderlands,* Canadian Society of Petroleum Geologists Memoir, 7, 563-584.
- Dalland, A., Worsley, D. and Ofstad, K., 1988: *A Lithostratigraphic scheme for the Mesozoic and Cenozoic succession offshore mid- and northern Norway.* NPD-Bulletin. 4, Oljedirektoratet, 65 pp.
- Dalland, A., Worsley, D. and Ofstad, K., 1988: *A Lithostratigraphic scheme for the Mesozoic and Cenozoic succession offshore mid- and northern Norway.* NPD-bulletin. 109, Oljedirektoratet, 65 pp.
- Dallmann, W.K., Gjelberg, J.G., Harland, W.B., Johannessen, E.P., Keilen, H.B., Lønøy, A., Nilsson, I. and Worsley, D., 1999: Upper Palaeozoic lithostratigraphy. *In: Dallmann, W.K. et al., (Eds.), Lithostratigraphic lexicon of Svalbard -review and recommendations for nomenclature use; upper Palaeozoic to Quaternary bedrock.* Norsk Polarinstittutt, 25-126.
- Dam, G. and Surlyk, F., 1993: Cyclic sedimentation in a large wave- and storm-dominated anoxic lake: Kap Stewart Formation (Rhaetian-Sinemurian), Jameson Land, East Greenland. *In: Posamentier, H.W., Summerhayes, C.P., Haq, B.U. and Allen, G.P., (Eds.), Sequence stratigraphy and facies associations.,* Special Publication of the International Association of Sedimentologists, 18. Blackwell, 419-448.
- Dam, G. and Surlyk, F., 1998: Stratigraphy of the Neill Klintner Group: a lower-lower Middle Jurassic tidal embayment succession, Jameson Land, East Greenland. *Geology of Greenland Survey Bulletin*, 175, 1-80.
- Dorè, A.G., 1991: The structural foundation and evolution of Mesozoic seaways between Europe and the Arctic. *Palaeogeography Palaeoclimatology Palaeoecology*, 87, 441-492.
- Dorè, A.G. and Lundin, E.R., 1996: Cenozoic compressional structures on the NE Atlantic margin: Nature, origin and potential significance for hydrocarbon exploration. *Petroleum Geoscience*, 2, 299-311.
- Dorè, A.G., Lundin, E.R., Birkeland, O., Eliassen, P.E. and Jensen, L.N., 1997: The NE Atlantic Margin: implications of late Mesozoic and Cenozoic events for hydrocarbon prospectivity. *Petroleum Geoscience*, 3, 117-131.
- Dypvik, H., 1984: Jurassic and cretaceous black shales of the Janusfjellet Formation, Svalbard, Norway. *Sedimentary Geology*, 41, 235-248.
- Ehrenberg, S.N., Pickard, N.A.H., Henriksen, L.B., Svana, T.A., Gutteridge, P. and Macdonald, D., 2001: A depositional and sequence stratigraphic model for cold-water, spiculitic strata based on the Kapp Starostin Formation (Permian) of Spitsbergen and equivalent deposits from the Barents Sea. *AAPG Bulletin*, 85, 2061-2087.
- Eldholm, O., Faleide, J.I. and Myhre, A.M., 1987: Continent-ocean transition at the Western Barents Sea Svalbard continental-margin. *Geology*, 15, 1118-1122.

- Eldholm, O. et al., 1989: Evolution of the Vøring volcanic margin. *In: Eldholm, O. et al., (Eds.), Proceedings of the Ocean Drilling Program, Scientific Results*, 104, 1033-1065.
- Elvebakk, G., Hunt, D.W. and Stemmerik, L., 2002: From isolated buildups to buildup mosaics: 3D seismic sheds new light on upper Carboniferous-Permian fault controlled carbonate buildups, Norwegian Barents Sea. *Sedimentary Geology*, 152, 7-17.
- Embry, A.F., 1989: Correlation of Upper paleozoic and Mesozoic sequences between Svalbard, Canadian Archipelago and northern Alaska. *In: Collinson, J.D., (Ed.), Correlation in Hydrocarbon Exploration*. Graham & Trotman, 89-98.
- Embry, A.F., 1993: Crockerland: the northwest source area for the Sverdrup Basin, Canadian Arctic Islands *In: Vorren, T.O., Bergsager, E., Dahl Stamnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 205-216.
- Evans, D., Graham, C., Armour, A. and Bathurst, P., 2003: *The Millennium atlas petroleum geology of the central and northern North Sea*. Geological Society of London, 389 pp.
- Faleide, J.I., Gudlaugsson, S.T. and Jacquart, G., 1984: Evolution of the western Barents Sea. *Marine and Petroleum Geology*, 1, 123-150.
- Faleide, J.I., Vågnes, E. and Gudlaugsson, S.T., 1993: Late Mesozoic-Cenozoic evolution of the southwestern Barents Sea. *In: Parker, J.R., (Ed.), Petroleum geology of Northwest Europe: Proceedings of the 4th conference*. Geological Society, 933-950.
- Fisher, M.J. and Mudge, D.C., 1998: Triassic. *In: Glennie, K.W., (Ed.), Petroleum geology of the North Sea: basic concepts and recent advances* 4th ed. Blackwell, 212-244.
- Fjellanger, E., Surlyk, F., Wamsteeker, L.C. and Midtun, T., 2004: Upper Cretaceous basin floor fans in the Vøring Basin, Mid Norway shelf. *In: Wandås, B.T.G., Nystuen, J.P., Eide, E.A. and Gradstein, F.M., (Eds.), Onshore-offshore relationships on the North Atlantic Margin*, Norwegian Petroleum Society Special Publication, 12. Elsevier, 135-164.
- Fonneland, H.C., Lien, T., Martinsen, O.J., Pedersen, R.B. and Kosler, J., 2004: Detrital zircon ages: a key to understanding the deposition of deep marine sandstones in the Norwegian Sea. *Sedimentary Geology*, 164, 147-159.
- Fossen, H., 1992: The role of extensional tectonics in the Caledonides of South Norway. *Journal of Structural Geology*, 14, 1033-1046.
- Fossen, H. and Rykkelid, E., 1992: Postcollisional extension of the Caledonide orogen in Scandinavia: structural expressions and tectonic significance. *Geology*, 20, 737-740.
- Fossen, H., Mangerud, G., Hesthammer, J., Bugge, T. and Gabrielsen, R.H., 1997: The Bjørøy Formation: a newly discovered occurrence of Jurassic sediments in the Bergen arc system. *Norsk Geologisk Tidsskrift*, 77, 269-287.
- Fraser, S., Robinson, A., Johnson, H., Underhill, J., Kadolsky, D., Connell, R., Johannessen, P. and Ravnås, R., 2003: Upper Jurassic. *In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), The millennium atlas; petroleum geology of the central and northern North Sea*. Geological Society of London, 157-189.
- Færseth, R.B. and Lien, T., 2002: Cretaceous evolution in the Norwegian Sea: a period characterized by tectonic quiescence. *Marine and Petroleum Geology*, 19, 1005-1027.
- Færseth, R.B., Gabrielsen, R.H. and Hurich, C.A., 1995: Influence of basement in structuring of the North-Sea Basin, offshore Southwest Norway. *Norsk Geologisk Tidsskrift*, 75, 105-119.
- Gabrielsen, R.H., Færseth, R.B., Jensen, L.N., Kalheim, J.E. and Riis, F., 1990: *Structural elements of the Norwegian continental shelf: Part I: The Barents Sea Region*. NPD-bulletin. 6, Oljedirektoratet, 47 pp.
- Gabrielsen, R.H., Færseth, R.B., Steel, R.J., Idil, S. and Kløvjan, O.S., 1990: Tectonic and paleogeographic development of the North Sea rift system. *In: Blundell, D.J. and Gibbs, A.D., (Eds.), Tectonic evolution of the North Sea rifts*. Clarendon Press, 158-179.

- Galloway, W.E., 2002: Paleogeographic setting and depositional architecture of a sand-dominated shelf depositional system, Miocene Utsira formation, North Sea Basin. *Journal of Sedimentary Research*, 72, 476-490.
- Galloway, W.E., Garber, J.L., Liu, X. and Sloan, B.J., 1993: Triassic-Jurassic megasequence stratigraphy in the northern North Sea: rift to post-rift evolution. In: Parker, J.R., (Ed.), *Petroleum geology of Northwest Europe: Proceedings of the 4th conference*. Geological Society, 33-43.
- Giltner, J.P., 1987: Application of extensional models to the Northern Viking Graben. *Norsk Geologisk Tidsskrift*, 67, 339-352.
- Gjelberg, J., Dreyer, T., Høie, A., Tjelland, T. and Lilleng, T., 1987: Late Triassic to Mid Jurassic sandbody development on the Barents and mid-Norwegian shelf. In: Brooks, J. and Glennie, K.W., (Eds.), *Petroleum geology of North West Europe*. Graham & Trotman, 1105-1129.
- Gjelberg, J., Enoksen, T., Kjærnes, P., Mangerud, G., Martinsen, O.J., Roe, E. and Vågnes, E., 2001: The Maastrichtian and Danian depositional setting along the eastern margin of the Møre Basin (Mid Norwegian shelf): implications for the reservoir development of the Ormen Lange Field. In: Martinsen, O.J. and Dreyer, T., (Eds.), *Sedimentary environments offshore Norway: Palaeozoic to Recent*, NPF Special Publication. Elsevier, 421-440.
- Gjelberg, J.G., 1981: Upper Devonian (Famennian)-Middle Carboniferous succession of Bjørnøya, a study of ancient alluvial and coastal marine sedimentation. *Norsk Polarinstitutt Skrifter*, 174, 1-67.
- Gjelberg, J.G. and Steel, R.J., 1981: An outline of Lower-Middle Carboniferous sedimentation on Svalbard: Effects of tectonic, climatic, and sea level changes in rift basin sequences. In: Kerr, J.W., (Ed.), *Geology of the North Atlantic Borderlands*, Canadian Society of Petroleum Geologists Memoir, 7, 543-561.
- Gjelberg, J.G. and Steel, R.J., 1995: Helvetiafjellet Formation (Barremian-Aptian) on Spitsbergen: characteristics of a transgressive succession. In: Steel, R.J., Felt, V.L., Johannessen, E.P. and Mathieu, C., (Eds.), *Sequence stratigraphy on the Northwest European Margin*, Norwegian Petroleum Society Special Publication, 5. Elsevier, 571-593.
- Glennie, K.W., Higham, J. and Stemmerik, L., 2003: Permian. In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), *The millennium atlas; petroleum geology of the central and northern North Sea*. Geological Society of London, 91-103.
- Goldsmith, P.J. et al., 2003: Triassic. In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), *The millennium atlas; petroleum geology of the central and northern North Sea*. Geological Society of London, 105-107.
- Gradstein, F.M. and Ogg, J., 1996: A Phanerozoic time scale. *Episodes*, 19, 3-5.
- Gradstein, F.M., Kaminski, M.A. and Agterberg, F.P., 1999: Biostratigraphy and paleoceanography of the Cretaceous seaway between Norway and Greenland: Ordering the fossil record; challenges in stratigraphy and paleontology; selected papers from a symposium held in honour of the 75th birthday of Cor Drooger. *Earth Science Reviews*, 46, 27-98.
- Graue, E., Helland Hansen, W., Johnson, J., Lømo, L., Nøttvedt, A., Rønning, K., Ryseth, A. and Steel, R., 1987: Advance and retreat of Brent delta system, Norwegian North Sea. In: Brooks, J. and Glennie Kenneth, W., (Eds.), *Petroleum geology of North West Europe*. Graham & Trotman, 915-937.
- Grogan, P., Østvedt-Ghazi, A.-M., Larssen, G.B., Fotland, B., Nyberg, K., Dahlgren, S. and Eidvin, T., 1999: Structural elements and petroleum geology of the Norwegian sector of the northern Barents Sea. In: Fleet, A.J. and Boldy, S.A.R., (Eds.), *Petroleum geology of Northwest Europe: proceedings of the 5th conference*. The Geological Society, 247-259.
- Grunnaleite, I. and Gabrielsen, R.H., 1995: Structure of the Møre Basin, mid-Norway continental margin. *Tectonophysics*, 252, 221-251.

- Gudlaugsson, S.T., Faleide, J.I., Johansen, S.E. and Breivik, A.J., 1998: Late Palaeozoic structural development of the South-western Barents Sea. *Marine and Petroleum Geology*, 15, 73-102.
- Hanisch, J., 1984: West Spitsbergen fold belt and Cretaceous opening of the Northwest Atlantic. *In: Spencer, A.M., Johnsen, S.O., Mørk, A., Nysæther, E., Songstad, P. and Spinnangr, A., (Eds.), Petroleum geology of the North European margin.* Graham and Trotman, 187-198.
- Harland, W.B., 1997: *The geology of Svalbard.* Geological Society of London Memoir. 17, 169-190 pp.
- Harland, W.B., Gaskell, B.A., Heafford, A.P., Lind, E.K. and Perkins, P.S., 1984: Outline of Arctic post-Silurian continental displacements. *In: Spencer, A.M., Johnsen, S.O., Mørk, A., Nysæther, E., Songstad, P. and Spinnangr, A., (Eds.), Petroleum geology of the North European margin.* Graham and Trotman, 137-148.
- Helland-Hansen, W., Ashton, M., Lømo, L. and Steel, R., 1992: Advance and retreat of the Brent Delta: recent contributions to the depositional model. *In: Morton, A.C., Haszeldine, R.S., Giles, M.R. and Brown, S., (Eds.), Geology of the Brent Group,* Geological Society Special Publications, 61, 109-127.
- Henriksen, S. and Weimer, P., 1996: High-frequency depositional sequences and stratal stacking patterns in lower Pliocene coastal deltas, mid-Norwegian continental shelf. *AAPG Bulletin*, 80, 1867-1895.
- Heritier, F.E., Lossel, P. and Wathne, E., 1979: Frigg Field: Large submarine-fan trap in Lower Eocene rocks of the North-Sea Viking Graben. *AAPG Bulletin*, 63, 1999-2020.
- Holliday, D.W. and Cutbill, J.L., 1972: The Ebbadalen Formation (Carboniferous), Spitsbergen. *Yorkshire Geological Society Proceedings*, 39, 1-32.
- Holtedahl, H., 1953: On the oblique uplift of some Northern lands. *Norsk Geografisk Tidsskrift*, 14, 132-139.
- Holtedahl, O., 1917: Summary of geological results: 2nd report Norwegian Arctic Expedition in the Fram 1898-1902 *Skrifter Kongelige Norske Videnskabers Selskab*, 36, 27 pp.
- Horn, G. and Isachsen, F., 1943: Et kullfund i Skagerrak-morenen på Jæren: a coal find in the Skagerrack moraine of Jæren, SW Norway. *Norsk Geologisk Tidsskrift*, 22, 15-46.
- Husmo, T., Hamar, G.P., Høiland, O., Johannessen, E.P., Rømuld, A., Spencer, A.M. and Titterton, R., 2003: Lower and Middle Jurassic. *In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), The millennium atlas; petroleum geology of the central and northern North Sea.* Geological Society of London, 129-155.
- Husmo, T. et al., 2003: Lower and Middle Jurassic. *In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), The millennium atlas; petroleum geology of the central and northern North Sea.* Geological Society of London, 129-155.
- Håkansson, E. and Stemmerik, L., 1984: Wandel Sea basin: the North Greenland equivalent to Svalbard and the Barents Shelf. *In: Spencer, A.M., Johnsen, S.O., Mørk, A., Nysæther, E., Songstad, P. and Spinnangr, A., (Eds.), Petroleum geology of the North European margin.* Graham and Trotman, 97-107.
- Haaland, H.J., Furnes, H. and Martinsen, O.J., 2000: Paleogene tuffaceous intervals, Grane Field (Block 25/11), Norwegian North Sea: their depositional, petrographical, geochemical character and regional implications. *Marine and Petroleum Geology*, 17, 101-118.
- Isaksen, D. and Tonstad, K., 1989: *A Revised Cretaceous and Tertiary lithostratigraphic nomenclature for the Norwegian North Sea.* NPD-Bulletin. 4, Oljedirektoratet, 59 pp.
- Johannessen, E.P. and Steel, R.J., 1992: Midcarboniferous extension and rift-infill sequences in the Billefjorden Trough, Svalbard. *Norsk Geologisk Tidsskrift*, 72, 35-48.
- Johannessen, E.P., Mjøs, R., Renshaw, D., Dalland, A. and Jacobsen, T., 1995: Northern limit of the "Brent Delta" at the Tampen Spur: a sequence stratigraphic approach for sandstone distribution. *In: Steel, R.J., Felt, V.L., Johannessen, E.P. and Mathieu, C., (Eds.), Sequence stratigraphy on the Northwest European Margin,* Norwegian Petroleum Society Special Publication, 5. Elsevier, 213-256.

- Johannessen, E. P. and Embry, A. F., 1989: Sequence correlation: Upper Triassic to Lower Jurassic succession, Canadian and Norwegian Arctic. *In: Collinson, J.D., (Ed.), Correlation in hydrocarbon exploration*. Graham & Trotman, 155-170.
- Johansen, S.E., Ostisty, B.K., Birkeland, Ø., Fedrovski, Y.F., Martirosian, V.N., Christensen, O.B., Cheredeev, S.I., Ignatenko, E.A. and Margulis, L.S., 1993: Hydrocarbon potential in the Barents Sea Region: play distribution and potential. *In: Vorren, T.O., Bergsager, E., Dahl Stamnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 237-320.
- Jones, R.W. and Milton, N.J., 1994: Sequence development during uplift -Paleogene stratigraphy and relative sea-level history of the Outer Moray Firth, UK, North-Sea. *Marine and Petroleum Geology*, 11, 157-165.
- Jongepier, K., Rui, J.C. and Grue, K., 1996: Triassic to Early Cretaceous stratigraphic and structural development of the northeastern Møre Basin margin, off mid-Norway. *Norsk Geologisk Tidsskrift*, 76, 199-214.
- Jordt, H., Faleide, J.I., Bjørlykke, K. and Ibrahim, M.T., 1995: Cenozoic sequence stratigraphy of the Central and Northern North-Sea Basin: Tectonic development, sediment distribution and provenance areas. *Marine and Petroleum Geology*, 12, 845-879.
- Kennedy, W.J., 1987: Sedimentology of Late Cretaceous-Palaeocene chalk reservoirs, North Sea Central Graben. *In: Brooks, J. and Glennie, K.W., (Eds.), Petroleum geology of North West Europe*. Graham & Trotman, 469-481.
- Kjerulf, T., 1871: Undersøgelse af nogle Kulslags og Torv. *Videnskabs-Selskabet i Christiania, Forhandlinger*, 1870.
- Kvale, A., 1953: Linear structures and their relation to movement in the Caledonides of Scandinavia and Scotland. *Quarterly journal of the Geological Society of London*, 109, 51-73.
- Kyrkjebø, R., Kjennerud, T., Gilmore, G.K., Faleide, J.I. and Gabrielsen, R.H., 2001: Cretaceous-Tertiary palaeo-bathymetry in the northern North Sea: integration of palaeo-water depth estimates obtained by structural restoration and micropalaeontological analysis. *In: Martinsen, O.J. and Dreyer, T., (Eds.), Sedimentary environments offshore Norway: Palaeozoic to Recent*, NPF Special Publication. Elsevier, 321-345.
- Larsen, G.B., Elvebakk, G., Henriksen, L.B., Kristensen, S.E., Nilsson, I., Samuelsen, T.J., Svånå, T., Stemmerik, L. and Worsley, D., 2002: Upper Palaeozoic lithostratigraphy of the Southern Norwegian Barents Sea. *NPD-Bulletin*.
- Larsen, M., Hamberg, L., Olaussen, S., Preuss, T. and Stemmerik, L., 1999: Sandstone wedges of the Cretaceous-lower Tertiary Kangerlussuaq Basin, East Greenland: outcrop analogues to the offshore North Atlantic. *In: Fleet, A.J. and Boldy, S.A.R., (Eds.), Petroleum geology of Northwest Europe: proceedings of the 5th conference*. The Geological Society, 337-348.
- Larsen, V.B., 1987: A synthesis of tectonically-related stratigraphy in the North Atlantic-Arctic region from Aalenian to Cenomanian time. *Norsk Geologisk Tidsskrift*, 67, 281-293.
- Leith, T.L. et al., 1993: Mesozoic hydrocarbon source-rocks of the Arctic Region. *In: Vorren, T.O., Bergsager, E., Dahl Stamnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 1-25.
- Lervik, K.S., 2006: Triassic lithostratigraphy of the Northern North Sea Basin. *Norwegian Journal of Geology*, 86, 93-116.
- Lervik, K.S., Spencer, A.M. and Warrington, G., 1989: Outline of Triassic stratigraphy and structure in the central and northern North Sea. *In: Collinson, J.D., (Ed.), Correlation in Hydrocarbon Exploration*. Graham & Trotman, 173-189.
- Lien, T., 2005: From rifting to drifting: effects on the development of deep-water hydrocarbon reservoirs in a passive margin setting, Norwegian Sea. *Norwegian Journal of Geology*, 85, 319-332.

- Liu, X. and Galloway, W.E., 1997: Quantitative determination of tertiary sediment supply to the North Sea Basin. *AAPG Bulletin*, 81, 1482-1509.
- Lonergan, L. and Cartwright, J.A., 1999: Polygonal faults and their influence on deep-water sandstone reservoir geometries, Alba Field, United Kingdom central North Sea. *AAPG Bulletin*, 83, 410-432.
- Mangerud, G., 1994: Palynostratigraphy of the Permian and Lowermost Triassic succession, Finnmark Platform, Barents Sea. *Review of Palaeobotany and Palynology*, 82, 317-349.
- Martinsen, O.J. and Dreyer, T., (Eds.), 2001: *Sedimentary environments offshore Norway: palaeozoic to recent*. Vol. 10, Elsevier. 490 pp.
- Martinsen, O.J., Lien, T. and Jackson, C.A.L., 2005: Cretaceous and Palaeogene turbidite systems in the North Sea and Norwegian Sea Basins: source, staging area and basin physiography controls on reservoir development. In: Doré, A.G. and Vining, B.A., (Eds.), *Petroleum geology: Northwest Europe and global perspectives: proceedings of the 6th petroleum geology conference*. The Geological Society, 1147-1164.
- Martinsen, O.J., Fonneland, H.C., Lien, T. and Gjelberg, J., 2002: On latest Cretaceous-Palaeocene drainage and deep-water sedimentary systems on- and offshore Norway. In: Thorsnes, T., (Ed.), *Onshore-Offshore Relationships on the North Atlantic Margin*, NGF Abstracts and Proceedings, 2. Norsk geologisk forening, 123-124.
- Martinsen, O.J., Bøen, F., Charnock, M., Mangerud, G. and Nøttvedt, A., 1999: Cenozoic development of the Norwegian margin: sequences and sedimentary response to variable basin physiography and tectonic setting. In: Fleet, A.J. and Boldy, S.A.R., (Eds.), *Petroleum geology of Northwest Europe: proceedings of the 5th conference*. The Geological Society, 293-304.
- Mellere, D. and Steel, R.J., 1996: Tidal sedimentation in Inner Hebrides half grabens, Scotland: the Mid-Jurassic Bearerraig Sandstone Formation. In: Batist, M.d. and Jacobs, P., (Eds.), *Geology of Siliciclastic Shelf Seas*, Geological Society Special Publications, 117, 49-79.
- Michelsen, O., Nielsen, L.H., Johannessen, P.N., Andsbjerg, J. and Surlyk, F., 2003: Jurassic lithostratigraphy and stratigraphic development onshore and offshore Denmark. In: Ineson Jon, R. and Surlyk, F., (Eds.), *The Jurassic of Denmark and Greenland*, Geological Survey of Denmark and Greenland Bulletin, 1. Danmarks og Grønlands Geologiske Undersøgelse (GEUS), 147-216.
- Mørk, A., Knarud, R. and Worsley, D., 1982: Depositional and diagenetic environment of the Triassic and Lower Jurassic succession of Svalbard. In: Embry, A.F. and Balkwill, H.R., (Eds.), *Arctic geology and geophysics*, Canadian Society of Petroleum Geologists Memoir, 8, 371-398.
- Mørk, A., Embry, A.F. and Weitschat, W., 1989: Triassic transgressive-regressive cycles in the Sverdrup Basin, Svalbard and the Barents Shelf. In: Collinson, J.D., (Ed.), *Correlation in Hydrocarbon Exploration*. Graham & Trotman, 371-398.
- Mørk, A., Vigran, J.O., Korchinskaya, M.V., Pchelina, T.M., Fefilova, L.A., Vavilov, M.N. and Weitschat, W., 1993: Triassic rocks in Svalbard, the Arctic Soviet islands and the Barents Shelf: bearing on their correlations. In: Vorren, T.O., Bergsager, E., Dahl Stamnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), *Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 457-479.
- Nadin, P.A. and Kuznir, N.J., 1995: Paleocene uplift and Eocene subsidence in the Northern North-Sea Basin from 2D forward and reverse stratigraphic modeling. *Journal of the Geological Society*, 152, 833-848.
- Nakrem, H.A., Nilsson, I. and Mangerud, G., 1992: Permian biostratigraphy of Svalbard (Arctic Norway) - a review. *International Geological Review*, 34, 933-959.
- Nemec, W., Steel, R.J., Gjelberg, J.G., Collinson, J.D., Prestholm, E. and Øxnevad, I.E., 1988: Anatomy of collapsed and re-established delta front in Lower Cretaceous of eastern Spitsbergen: gravitational sliding and sedimentation processes. *AAPG Bulletin*, 72, 454-476.

- Nielsen, O.B., Sørensen, S., Thiede, J. and Skarbø, O., 1986: Cenozoic differential subsidence of North-Sea. *AAPG Bulletin*, 70, 276-298.
- Nordhagen, R., 1921: Fossilførende blocker fra Juratiden på Frøøyene utenfor Trondheimsfjorden. *Naturen*, 45, 110-115.
- Nyland, B., Jensen, L.N., Skagen, J., Skapnes, O. and Vorren, T.O., 1992: Tertiary uplift and erosion in the barents Sea: magnitude, timing and consequences. In: Larsen, R.M., Brekke, H., Larsen, B.T. and Talleraas, E., (Eds.), *Structural and tectonic modelling and its application to petroleum geology; proceedings.*, Norwegian Petroleum Society (NPF) Special Publication, 1. Elsevier, 153-162.
- Nøttvedt, A. and Larsen, B.T., (Eds.), 2000: *Dynamics of the Norwegian margin*. Vol. 167, Geological Society. 472 pp.
- Nøttvedt, A., Gabrielsen, R.H. and Steel, R.J., 1995: Tectonostratigraphy and sedimentary architecture of rift basins, with reference to the Northern North-Sea. *Marine and Petroleum Geology*, 12, 881-901.
- Nøttvedt, A., Livbjerg, F., Midbøe, P.S. and Rasmussen, E., 1993: Hydrocarbon potential of the Central Spitsbergen Basin. In: Vorren, T.O., Bergsager, E., Dahl Stamnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), *Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 333-361.
- Nøttvedt, A., Berge, A.M., Dawers, N.H., Færseth, R.B., Hager, K.O., Mangerud, G. and Puigdefabregas, C., 2000: Syn-rift evolution and resulting play models in the Snorre-H area, northern North Sea. In: Nøttvedt, A., (Ed.), *Dynamics of the Norwegian margin.*, Geological Society Special Publications, 167, 179-218.
- Nøttvedt, A., Cecchi, M., Gjelberg, J.G., Kristensen, S.E., Lønøy, A., Rasmussen, A., Rasmussen, E., Skott, P.H. and van, V.P.M., 1993: Svalbard-Barents Sea correlation: a short review. In: Vorren, T.O., Bergsager, E., Dahl Stamnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), *Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 363-375.
- Oakman, C.D. and Partington, M.A., 1998: Cretaceous. In: Glennie, K.W., (Ed.), *Petroleum geology of the North Sea: basic concepts and recent advances*. Blackwell Science Geology & Petroleum Geology, 294-349.
- Oftedahl, C., 1972: A sideritic ironstone of Jurassic age in Beistadfjorden, Trøndelag. *Norsk Geologisk Tidsskrift, Supplement*, 52, 123-134.
- Olaussen, S., Dalland, A., Gloppen, T.G. and Johannessen, E., 1984: Depositional environment and diagenesis of Jurassic reservoir sandstones in the eastern part of Troms I area. In: Spencer Anthony, M., Johnsen Sverre, O., Mørk, A., Nysæther, E., Songstad, P. and Spinnangr, A., (Eds.), *Petroleum geology of the North European margin*. Graham and Trotman, 61-79.
- Olesen, O. et al., 2004: Neotectonic deformation in Norway and its implications: a review. *Norwegian Journal of Geology*, 84, 3-34.
- Pedersen, J.H., Karlsen, D.A., Spjeldnæs, N., Backer-Owe, K., Lie, J.E. and Brunstad, H., 2007: Lower Paleozoic petroleum from southern Scandinavia: Implications to a Paleozoic petroleum system offshore southern Norway. *AAPG Bulletin*, 91, 1189-1212.
- Ramberg, I.B., Gray, D.F. and Reynolds, R.G.H., 1977: Tectonic evolution of FAMOUS Area of the Mid-Atlantic Ridge, lat 35degrees50minutes to 37degrees20minutesN. *Geological Society of America Bulletin*, 88, 609-620.
- Rathey, R.P. and Hayward, A.B., 1993: Sequence stratigraphy of a failed rift system: the Middle Jurassic to Early Cretaceous basin evolution of the Central and Northern North Sea. In: Parker, J.R., (Ed.), *Petroleum geology of Northwest Europe: Proceedings of the 4th conference*. Geological Society, 215-249.
- Ravnås, R., Nøttvedt, A., Steel, R.J. and Windelstad, J., 2000: Syn-rift sedimentary architectures in the northern North Sea. In: Nøttvedt, A., (Ed.), *Dynamics of the Norwegian margin.*, Geological Society Special Publications, 167. Geological Society of London, 133-177.

- Riis, F., 1996: Quantification of Cenozoic vertical movements of Scandinavia by correlation of morphological surfaces with offshore data. *Global and Planetary Change*, 12, 331-357.
- Riis, F. and Fjeldskaar, W., 1992: On the magnitude of the late Tertiary and Quaternary erosion and its significance for the uplift of Scandinavia and the Barents Sea. In: Larsen, R.M., Brekke, H., Larsen, B.T. and Talleraas, E., (Eds.), *Structural and tectonic modelling and its application to petroleum geology; proceedings.*, Norwegian Petroleum Society (NPF) Special Publication, 1. Elsevier, 163-185.
- Roberts, A.M., Yielding, G., Kusznir, N.J., Walker, I.M. and Dorn Lopez, D., 1995: Quantitative analysis of Triassic extension in the northern Viking Graben. *Journal of the Geological Society*, 152, 15-26.
- Rohrman, M., Vanderbeek, P., Andriessen, P. and Cloetingh, S., 1995: Meso-Cenozoic morphotectonic evolution of Southern Norway: neogene domal uplift inferred from apatite fission-track thermochronology. *Tectonics*, 14, 704-718.
- Rokoengen, K., Rise, L., Bryn, P., Frengstad, B., Gustavsen, B., Nygaard, E. and Sættem, J., 1995: Upper Cenozoic stratigraphy on the Mid-Norwegian continental -shelf. *Norsk Geologisk Tidsskrift*, 75, 88-104.
- Rundberg, Y., Olaussen, S. and Gradstein, F.M., 1995: Incision of Oligocene strata: evidence for Northern North Sea Miocene uplift an key to the formation of the Utsira sands. *Geonytt*, 22, 62.
- Rønnevik, H.C., Beskow, B. and Jacobsen, H.P., 1982: Evolution of the Barents Sea. In: Embry, A.F. and Balkwill, H.R., (Eds.), *Arctic geology and geophysics*, Canadian Society of Petroleum Geologists Memoir, 8, 432-440.
- Scotese, C.R., 2001: *Atlas of Earth History: PALEOMAP Project*. 52 pp.
- Seidler, L., Steel Ron, J., Stemmerik, L. and Surlyk, F., 2004: North Atlantic marine rifting in the Early Triassic: new evidence from East Greenland. *Journal of the Geological Society*, 161, 583-592.
- Skibeli, M., Barnes, K., Straume, T., Syvertzen, S. and Shanmugan, G., 1995: A sequence stratigraphy study of Lower cretaceous deposits in the northernmost Nort Sea. In: Steel, R.J., Felt, V.L., Johannessen, E.P. and Mathieu, C., (Eds.), *Sequence stratigraphy on the Northwest European Margin*, Norwegian Petroleum Society Special Publication, 5. Elsevier, 389-400.
- Skogseid, J., Planke, S., Faleide, J.I., Pedersen, T., Eldholm, O. and Neverdal, F., 2000: NE Atlantic continental rifting and volcanic margin formation. In: Nøttvedt, A., (Ed.), *Dynamics of the Norwegian margin.*, Geological Society Special Publications, 167, 295-326.
- Smelror, M., Mørk, A., Monteil, E., Rutledge, D. and Leereveld, H., 1998: The Klippfisk Formation: a new lithostratigraphic unit of Lower Cretaceous platform carbonates on the western Barents Shelf. *Polar Research*, 17, 181-202.
- Sommaruga, A. and Bøe, R., 2002: Geometry and subcrop maps of shallow Jurassic basins along the Mid-Norway coast. *Marine and Petroleum Geology*, 19, 1029-1042.
- Steel, R.J., 1993: Triassic-Jurassic megasequence stratigraphy in the northern North Sea: rift to post-rift evolution. In: Parker, J.R., (Ed.), *Petroleum geology of Northwest Europe: Proceedings of the 4th conference*. Geological Society, 299-315.
- Steel, R.J. and Worsley, D., 1984: Svalbard's post-Caledonian strata: an atlas of sedimentational patterns and palaeogeographic evolution. In: Spencer Anthony, M., Johnsen Sverre, O., Mørk, A., Nysæther, E., Songstad, P. and Spinnangr, A., (Eds.), *Petroleum geology of the North European margin*. Graham and Trotman, 109-135.
- Steel, R.J. and Ryseth, A., 1990: The Triassic-Early Jurassic succession in the northern North Sea: megasequence stratigraphy and intra-Triassic tectonics In, *Tectonic Events Responsible for Britain's Oil and Gas Reserves*, Geological Society Special Publication, 55, 139-168.
- Stemmerik, L., 1997: Permian (Artinskian-Kazanian) cool-water carbonates in North Greenland, Svalbard and the western Barents Sea. In: James, N.P. and Clark, J.A.D., (Eds.), *Cool-water carbonates*, SEPM Special Publication 56, 349-364.

- Stemmerik, L., 2000: Late Palaeozoic evolution of the North Atlantic margin of Pangea. *Palaeogeography Palaeoclimatology Palaeoecology*, 161, 95-126.
- Stemmerik, L. and Worsley, D., 1989: Late palaeozoic sequence correlations, North Greenland. Svalbard and the Barents Shelf. *In: Collinson, J.D., (Ed.), Correlation in Hydrocarbon Exploration*. Graham & Trotman, 99-111.
- Stemmerik, L. and Worsley, D., 1995: Permian history of the Barents Shelf area. *In: Scholle, P.A., Peyrt, T.M. and Ulmer-Scholle, D.S., (Eds.), The Permian of northern Pangea 2: Sedimentary basins and economic resources*. Springer Verlag, 81-97.
- Stemmerik, L., Elvebakk, G. and Worsley, D., 1999: Upper Palaeozoic carbonate reservoirs on the Norwegian Arctic Shelf: delineation of reservoir models with application to the Loppa High. *Petroleum Geoscience*, 5, 173-187.
- Stewart, I.J., 1987: A revised stratigraphic interpretation of the Early Palaeogene of the Central North Sea. *In: Brooks, J. and Glennie, K.W., (Eds.), Petroleum geology of North West Europe*. Graham & Trotman, 557-576.
- Stow, D.A.V., Bishop, C.D. and Mills, S.J., 1982: Sedimentology of the Brae oilfield, North-Sea: fan models and controls. *Journal of Petroleum Geology*, 5, 129-148.
- Surlyk, F., 2003: The Jurassic of East Greenland: a sedimentary record of thermal subsidence, onset and culmination of rifting. *In: Ineson, J., R. and Surlyk, F., (Eds.), The Jurassic of Denmark and Greenland.*, Geological Survey of Denmark and Greenland Bulletin, 1. Danmarks og Grønlands Geologiske Undersøgelse (GEUS). 659-722.
- Surlyk, F. and Noe-Nygaard, N., 2001: Cretaceous faulting and associated coarse-grained marine gravity flow sedimentation, Traill Ø, East Greenland. *In: Martinsen, O.J. and Dreyer, T., (Eds.), Sedimentary environments offshore Norway: Palaeozoic to Recent*, NPF Special Publication, 10. Elsevier, 293-319.
- Surlyk, F. and Ineson, J.R., 2003: The Jurassic of Denmark and Greenland: key elements in the reconstruction of the North Atlantic Jurassic rift system. *In: Ineson, J.R. and Surlyk, F., (Eds.), The Jurassic of Denmark and Greenland.*, Geological Survey of Denmark and Greenland Bulletin, 1. Danmarks og Grønlands Geologiske Undersøgelse (GEUS). Copenhagen, Denmark. 2003., 9-20.
- Surlyk, F. and Noe-Nygaard, N., 2005: A forced regressive shelf-margin wedge formed by transition-slope progradation: Lowermost Cretaceous Rauk Plateau Member, Jameson Land, East Greenland. *Bulletin of the Geological Society of Denmark*, 52, 227-243.
- Surlyk, F., Gjelberg, J.G. and Noe Nygaard, N., 2007: The Upper Jurassic Hareelv Formation of East Greenland: A giant sedimentary injection complex. *In: Hurst, A. and Cartwright, J., (Eds.), Sand Injectites: Implications for hydrocarbon exploration and production*, AAPG Memoir, 87, 141-149.
- Surlyk, F., Dons, T., Clausen, C.K. and Higham, J., 2003: Upper Cretaceous. *In: Evans, D., Graham, C., Armour, A. and Bathurst, P., (Eds.), The millennium atlas; petroleum geology of the central and northern North Sea*. Geological Society of London, 213-233.
- Talwani, M. and Eldholm, O., 1977: Evolution of Norwegian Greenland Sea. *Geological Society of America Bulletin*, 88, 969-999.
- Torske, T., 1972: Tertiary Oblique Uplift of Western Fennoscandia: Crustal Warping in Connection with Rifting and Break-up of the Laurasian Continent. *Norges Geologiske Undersøgelse*, 273, 43-48.
- Torsvik, T.H., Carlos, D., Mosar, J., Cocks, R.M. and Malme, T.N., 2002: Global reconstructions and North Atlantic paleogeography 440Ma to Recent. *In: Eide, E.A., (Ed.), BATLAS - Mid Norway plate reconstruction atlas with global and Atlantic perspectives*. NGU, 18-39.
- Underhill, J.R., 1998: Jurassic. *In: Glennie, K.W., (Ed.), Petroleum geology of the North Sea: basic concepts and recent advances*. Blackwell Science, 245-293.

- Vail, P.R., Mitchum, R.M. and Thompson, S., 1977: Relative changes of sea level from coastal onlap. *In: Payton, C.E., (Ed.), Seismic Stratigraphy: Applications to Hydrocarbon Exploration*, AAPG Memoir, 26, 63-82.
- van Veen, P.M., Skjold, L.J., Kristensen, S.E., Rasmussen, A., Gjelberg, J. and Stølan, T., 1993: Triassic sequence stratigraphy in the Barents Sea. *In: Vorren, T.O., Bergsager, E., Dahl Starnes, O.A., Holter, E., Johansen, B., Lie, E. and Lund, T.B., (Eds.), Arctic geology and petroleum potential*, Norwegian Petroleum Society (NPF) Special Publication, 2. Elsevier, 515-538.
- Vågnes, E., Gabrielsen, R.H. and Haremo, P., 1998: Late Cretaceous-Cenozoic intraplate contractional deformation at the Norwegian continental shelf: timing, magnitude and regional implications. *Tectonophysics*, 300, 29-46.
- Worsley, D. and Edwards, M.B., 1976: The Upper Palaeozoic succession of Bjørnøya. *Norsk Polarinstitutt Årbok*, 1974, 17-34.
- Worsley, D. and Aga, O.J., 1986: *The geological history of Svalbard: evolution of an arctic archipelago*. Den norske stats oljeselskap a.s, 120 pp.
- Worsley, D., Agdestein, T., Gjelberg, J.G., Kirkemo, K., Mørk, A., Nilsson, I., Olausson, S., Steel, R.J. and Stemmerik, L., 2001: The geological evolution of Bjørnøya, Arctic Norway: implications for the Barents Shelf. *Norsk Geologisk Tidsskrift*, 81, 195-234.
- Ziegler, P.A., 1982: *Geological atlas of Western and Central Europe*. Shell Internationale Petroleum Maatschappij B.V., 130 pp.
- Ziegler, P.A., 1988: *Evolution of the Arctic-North Atlantic and the Western Tethys*. AAPG Memoir. 43, 198 pp.

Chapter 15-17

- Alm, T., 1993: Øvre Æråsvatn- Palynostratigraphy of a 22,000 to 10,000 BP lacustrine record on Andøya, Northern Norway. *Boreas*, 22, 171-188.
- Amundsen, H.E.F., Griffin, W.L. and O'Reilly, S.Y., 1988: The nature of the lithosphere beneath northwestern Spitsbergen: xenolith evidence. *In: Kristoffersen, Y., (Ed.), Progress in studies of the lithosphere in Norway: proceedings of a meeting reporting progress in Norwegian research in the International Lithosphere Programme*, Norges Geologiske Undersøkelse Special Publication, 3. Geological Survey of Norway, 58-65.
- Andersen, B.G., 1981: Late Weichselian Ice Sheet in Eurasia and Greenland. *In: Denton, G.H. and Hughes, T.J., (Eds.), The Last Great Ice Sheets*. John Wiley & Sons, 3-65.
- Andersen, B.G., 2000: *Ice Age Norway. Landscapes formed by Ice Age glaciers*. Universitetsforlaget, 216 pp.
- Andersen, B.G., Mangerud, J., Sørensen, R., Reite, A., Sveian, H., Thoresen, M. and Bergström, B., 1995: Younger-Dryas ice-marginal deposits in Norway. *Quaternary International*, 28, 147-169.
- Baumann, K.H., Lackschewitz, K.S., Mangerud, J., Spielhagen, R.F., Wolfwelling, T.C.W., Henrich, R. and Kassens, H., 1995: Reflections of Scandinavian ice-sheet fluctuations in Norwegian Sea sediments during the past 150,000 years. *Quaternary Research*, 43, 185-197.
- Bergersen, O.F. and Garnes, K., 1981: Weichselian in Central South-Norway: the gudbrandsdal interstadial and the following glaciation. *Boreas*, 10, 315-322.
- Bondevik, S., Svendsen, J.I., Johnsen, G., Mangerud, J. and Kaland, P.E., 1997: The Storegga tsunami along the Norwegian coast, its age and runup. *Boreas*, 26, 29-53.
- Brook, E.J., Nesje, A., Lehman, S.J., Raisbeck, G.M. and Yiou, F., 1996: Cosmogenic nuclide exposure ages along a vertical transect in western Norway: Implications for the height of the Fennoscandian ice sheet. *Geology*, 24, 207-210.

- Braathen, A., Blikra, L.H., Berg, S.S. and Karlsen, F., 2004: Rock-slope failures in Norway: type, geometry, deformation mechanisms and stability. *Norwegian Journal of Geology*, 84, 67-88.
- Dahl, R. and Sveian, H., 2004: *Ka dokker mein førr stein! Geologi, landskap og ressurser i Troms*. Norges geologiske undersøkelse, 154 pp.
- Dahl, R., Sveian, H. and Thoresen, M.K., 1997: *Nord-Trøndelag og Fosen: geologi og landskap*. Norges Geologiske Undersøkelse, 136 pp.
- Dahlgren, K.I.T., Vorren, T.O., Stoker, M.S., Nielsen, T., Nygard, A. and Sejrup, H.P., 2005: Late Cenozoic prograding wedges on the NW European continental margin: their formation and relationship to tectonics and climate. *Marine and Petroleum Geology*, 22, 1089-1110.
- Dallmann, W.K., 1999: Quaternary volcanic and subvolcanic rocks. In: Dallmann, W.K. et al., (Eds.), *Lithostratigraphic lexicon of Svalbard -review and recommendations for nomenclature use; upper Palaeozoic to Quaternary bedrock*. Norsk Polarinstitut, 264-266.
- Dehls, J.F., Olesen, O., Olsen, L. and Blikra, L.H., 2000: Neotectonic faulting in northern Norway: the Stuaragurra and Nordmannvikdalen postglacial faults. *Quaternary Science Reviews*, 19, 1447-1460.
- European Commission Joint Research Centre, European Soil Bureau, European Communities and Institute for Environment and Sustainability (European Commission. Joint Research Centre) Soil and Waste Unit, 2005: *Soil atlas of Europe*. European Communities.
- Fitch, F.J., 1964: The development of the Beerenberg volcano, Jan Mayen 1962. *Proceedings of the Geologists' Association*, 75, 133-165.
- Fjeldskaar, W., Lindholm, C., Dehls, J.F. and Fjeldskaar, I., 2000: Postglacial uplift, neotectonics and seismicity in Fennoscandia. *Quaternary Science Reviews*, 19, 1413-1422.
- Gaemers, P.A.M. and Vorren, T.O., 1985: Otolith stratigraphy of the Late Weichselian and Holocene sediments of Malangsdjupet, off Northern Norway. *Norsk Geologisk Tidsskrift*, 65, 187-199.
- Gjessing, J., 1978: *Norges landformer*. Universitetsforlaget, 207 pp.
- Hald, M., Ebbesen, H., Forwick, M., Godtliebsen, F., Khomenko, L., Korsun, S., Olsen, L.R. and Vorren, T.O., 2004: Holocene paleoceanography and glacial history of the West Spitsbergen area, Euro-Arctic margin. *Quaternary Science Reviews*, 23, 2075-2088.
- Helle, M., Sønstegeard, E., Coope, G.R. and Rye, N., 1981: Early Weichselian peat at Brumunddal, Southeastern Norway. *Boreas*, 10, 369-379.
- Holtedahl, H., 1998: The Norwegian strandflat: a geomorphological puzzle. *Norsk Geologisk Tidsskrift*, 78, 47-66.
- Imsland, P., 1978: The geology of the volcanic island Jan Mayen, Arctic Ocean. *Nordic Volcanic Institute research report*, 7813, 1-74.
- Intergovernmental Panel on Climate Change (IPCC): Climate Change 2007: Synthesis Report. [Available online at <http://www.ipcc.ch/ipccreports/ar4-syr.htm>]
- Janbu, N., Nestvold, J., Røe, Ø. and H, S., 1993: Geologi - geoteknikk. Leirras: årsaksforhold og rasutvikling. In: Walberg, Ø., (Ed.), *Ras i Verdalen, Verdalsboka: en bygdebok om Verdalen*. Verdalen kommune.
- Jansen, E., Dokken, T., Nesje, A., Dahl, S.O., Linge, H., Ninnemann, U.S. and Otteraa, O.H., 2005: Bjerknes Centre for Climate Research: combining past, present and future climate change. *Norwegian Journal of Geology*, 85, 33-44.
- Jansen, I., 1980: *Telemark, Øvre Bø, Jordbrukskart BST 033034-20*. Telemark Distrikthøgskole.
- Kleman, J., Hättestrand, C., Borgström, I. and Stroeven, A., 1997: Fennoscandian palaeoglaciology reconstructed using a glacial geological inversion model. *Journal of Glaciology*, 43, 283-299.

- Laberg, J.S. and Vorren, T.O., 2000: Flow behaviour of the submarine glacial debris flows on the Bear Island Trough Mouth Fan, western Barents Sea. *Sedimentology*, 47, 1105-1117.
- Lambeck, K., Smither, C. and Ekman, M., 1998: Tests of glacial rebound models for Fennoscandia based on instrumented sea- and lake-level records. *Geophysical Journal International*, 135, 375-387.
- Landvik, J.Y., Bondevik, S., Elverhøi, A., Fjeldskaar, W., Mangerud, J., Salvigsen, O., Siegert, M.J., Svendsen, J.I. and Vorren, T.O., 1998: The last glacial maximum of Svalbard and the Barents Sea area: Ice sheet extent and configuration. *Quaternary Science Reviews*, 17, 43-75.
- Larsen, E. and Holtedahl, H., 1985: The Norwegian strandflat: A reconsideration of its age and origin. *Norsk Geologisk Tidsskrift*, 65, 247-254.
- Larsen, E. and Mangerud, J., 1989: Marine caves: On-off signals for glaciations. *Quaternary International*, 3-4, 13-19.
- Larsen, E., Eide, F., Longva, O. and Mangerud, J., 1984: Allerød-Younger Dryas climatic inferences from cirque glaciers and vegetational development in the Nordfjord Area, Western Norway. *Arctic and Alpine Research*, 16, 137-160.
- Lomborg, B., 2007: *Cool it: the skeptical environmentalist's guide to global warming*. Cyan, 353 pp.
- Longva, O. and Thorsnes, T., 1997: *Skagerrak in the past and at the present: an integrated study of geology, chemistry, hydrography and microfossil ecology*. Norges Geologiske Undersøkelse Special Publication. 8, 98 pp.
- Lundqvist, J., 1992: Glacial stratigraphy in Sweden. In: Kauranne, K., (Ed.), *Glacial stratigraphy, engineering geology and earth construction*., Special Paper - Geological Survey of Finland, 15. Geological Survey of Finland, 43-59.
- Lønne, I., Nemeč, W., Blikra, L.H. and Lauritsen, T., 2001: Sedimentary architecture and dynamic stratigraphy of a marine ice-contact system. *Journal of Sedimentary Research*, 71, 922-943.
- MacDougall, J.D., 2004: *Frozen earth: The once and future story of ice ages*. University of California Press, 256 pp.
- Mangerud, J., 2004: Ice sheet limits on Norway and the Norwegian continental shelf. In: Ehlers, J. and Gibbards, P., (Eds.), *Quaternary Glaciations: Extent and chronology*, 1 Europe. Elsevier, 271-294.
- Mangerud, J., Jansen, E. and Landvik, J.Y., 1996: Late Cenozoic history of the Scandinavian and Barents Sea ice sheets. *Global and Planetary Change*, 12, 11-26.
- Mangerud, J., Sønstegeard, E., Sejrup, H.P. and Haldorsen, S., 1981: A continuous Eemian- Early Weichselian sequence containing pollen and marine fossils at Fjøsanger, Western Norway. *Boreas*, 10, 137-208.
- Mangerud, J., Lie, S.E., Furnes, H., Krisiansen, I.L. and Lømo, L., 1984: A Younger Dryas ash bed in Western Norway, and its possible correlations with tephra in cores from the Norwegian Sea and the North-Atlantic. *Quaternary Research*, 21, 85-104.
- Mangerud, J., Løvlie, R., Gulliksen, S., Hufthammer, A.K., Larsen, E. and Valen, V., 2003: Paleomagnetic correlations between Scandinavian Ice-Sheet fluctuations and Greenland Dansgaard-Oeschger events, 45,000-25,000 yr BP. *Quaternary Research*, 59, 213-222.
- Mangerud, J., Dokken, T., Hebbeln, D., Heggen, B., Ingolfsson, O., Landvik, J.Y., Mejdahl, V., Svendsen, J.I. and Vorren, T.O., 1998: Fluctuations of the Svalbard Barents Sea Ice Sheet during the last 150000 years. *Quaternary Science Reviews*, 17, 11-42.
- Martinsen, O.J., Lien, T. and Jackson, C.A.L., 2005: Cretaceous and Palaeogene turbidite systems in the North Sea and Norwegian Sea Basins: source, staging area and basin physiography controls on reservoir development. In: Doré, A.G. and Vining, B.A., (Eds.), *Petroleum geology: Northwest Europe and global perspectives: proceedings of the 6th petroleum geology conference*. The Geological Society, 1147-1164.
- Martinsen, O.J., Bøen, F., Charnock, M., Mangerud, G. and Nøttvedt, A., 1999: Cenozoic development of the Norwegian margin: sequences and sedimentary response to

- variable basin physiography and tectonic setting. *In: Fleet, A.J. and Boldy, S.A.R., (Eds.), Petroleum geology of Northwest Europe: proceedings of the 5th conference.* The Geological Society, 293-304.
- Mussett, A.E. and Khan, M.A., 2000: *Looking into the earth: an introduction to geological geophysics.* Cambridge University Press, 470 pp.
- Neeb, P.-R., 1992: *Byggeråstoffer kartlegging, undersøkelse og bruk.* Tapir, 374 pp.
- Nesje, A. and Whillans, I.M., 1994: Erosion of Sognefjord, Norway. *Geomorphology*, 9, 33-45.
- Norsk institutt for skog og landskap: Jordsmonn. [Available online at www.skogoglandskap.no/temaer/jordsmonn]
- Norwegian Petroleum Directorate, 2007: *The Petroleum Resources on the Norwegian Continental Shelf.*
- Olesen, O., Dehls, J.F., Ebbing, J., Henriksen, H., Kihe, O. and Lundin, E., 2007: Aeromagnetic mapping of deep-weathered fracture zones in the Oslo Region: a new tool for improved planning of tunnels. *Norwegian Journal of Geology*, 87, 253-267.
- Olsen, L., Sveian, H. and Bergström, B., 2001: Rapid adjustments of the western part of the Scandinavian Ice Sheet during the Mid and Late Weichselian: a new model. *Norsk Geologisk Tidsskrift*, 81, 93-117.
- Ottesen, D., Dowdeswell, J.A. and Rise, L., 2005: Submarine landforms and the reconstruction of fast-flowing ice streams within a large Quaternary ice sheet: The 2500-km-long Norwegian-Svalbard margin (57 degrees-80 degrees N). *Geological Society of America Bulletin*, 117, 1033-1050.
- Passe, T. and Andersson, L., 2005: Shore-level displacement in Fennoscandia calculated from empirical data. *GFF*, 127, 253-268.
- Rafaelsen, B., Andreassen, K., Kuilman, L.W., Lebesbye, E., Hogstad, K. and Midtbo, M., 2002: Geomorphology of buried glacigenic horizons in the Barents Sea from three-dimensional seismic data. *In: Dowdeswell, J.A. and O' Cofaigh, C., (Eds.), Glacier-influenced sedimentation on high-latitude continental margins.*, Geological Society Special Publication, 203, 259-276.
- Schüllli-Maurer, I., Sauer, D., Stahr, K., Sperstad, R. and Sørensen, R., 2007: Soil formation in marine sediments and beach deposits of southern Norway: investigations of soil chronosequences in the Oslofjord Region. *Revista Mexicana Ciencias Geologicas*, 24, 237-246.
- Sejrup, H.P., Landvik, J.Y., Larsen, E., Janocko, J., Eiriksson, J. and King, E., 1998: The Jæren area, a border zone of the Norwegian channel ice stream. *Quaternary Science Reviews*, 17, 801-812.
- Sejrup, H.P., Hjelstuen, B.O., Dahlgren, K.I.T., Hafliðason, H., Kuijpers, A., Nygard, A., Praeg, D., Stoker, M.S. and Vorren, T.O., 2005: Pleistocene glacial history of the NW European continental margin. *Marine and Petroleum Geology*, 22, 1111-1129.
- Sejrup, H.P. et al., 2003: Configuration, history and impact of the Norwegian Channel Ice Stream. *Boreas*, 32, 18-36.
- Siggerud, T., 1972: The volcanic eruption of Jan Mayen 1970. *Norsk Polarinstitutt Årbok*, 5-18.
- Solbakken, E., 2006: *Jordsmonnatlas for Norge. Beskrivelse av jordsmonn på dyrka mark i Vestfold.* Viten fra Skog og landskap. 1/2006, Norsk institutt for skog og landskap, 169 pp.
- Solheim, A. et al., 2005: International Centre for Geohazards (ICG): Assessment, prevention and mitigation of geohazards. *Norwegian Journal of Geology*, 85, 45-62.
- Solheim, A. et al., 2005: International Centre for Geohazards (ICG): Assessment, prevention and mitigation of geohazards. *Norwegian Journal of Geology*, 85, 45-62.
- Sollid, J.L. and Kristiansen, K., 1983: *Hedmark fylke. Kvartærgeologi og geomorfologi. Beskrivelse til kart 1:250 000.* T-543, Miljøverndepartementet, 101 pp.
- Sollid, J.L., Andersen, S., Hamre, N., Kjeldsen, O., Salvigsen, O., Sturød, S., Tveitå, T. and Wilhelmsen, A., 1973: Deglaciation of Finnmark. *Norsk Geografisk Tidsskrift*, 27, 233-325.

- Stewart, I.J., 1987: A revised stratigraphic interpretation of the Early Palaeogene of the Central North Sea. *In*: Brooks, J. and Glennie, K.W., (Eds.), *Petroleum geology of North West Europe*. Graham & Trotman, 557-576.
- Svendsen, J.I. et al., 2004: Late quaternary ice sheet history of northern Eurasia. *Quaternary Science Reviews*, 23, 1229-1271.
- Sørensen, R., Bakkelid, S. and Torp, B., 1987: *Landhevning: Land Uplift. Kartblad 2.3.3*. Statens kartverk.
- Thoresen, M., 1991: *Kvartærgeologisk kart over Norge. Tema: jordarter (Quaternary map of Norway, with English summary)*. Norges geologiske undersøkelse, 64 pp.
- Vorren, T.O., 1977: Weichselian movement in South-Norway and adjacent areas. *Boreas*, 6, 248-257.
- Vorren, T.O., 2003: Subaquatic landsystems: continental margins. *In*: Evans, D.J.A., (Ed.), *Glacial landsystems*. Hodder Arnold, 289-312.
- Vorren, T.O. and Vassmyr, S., 1992: *Overflatesedimenter på norsk kontinentalhylle: Surficial sediments on the Norwegian continental shelf. Kartblad 2.3.8*. Statens kartverk.
- Vorren, T.O. and Plassen, L., 2002: Deglaciation and palaeoclimate of the Andfjord-Vågsfjord area, North Norway. *Boreas*, 31, 97-125.
- Vorren, T.O., Richardsen, G., Knutsen, S.M. and Henriksen, E., 1991: Cenozoic erosion and sedimentation in the Western Barents Sea. *Marine and Petroleum Geology*, 8, 317-340.
- Vorren, T.O., Rokoengen, K., Bugge, T. and Larsen, O.A., 1992: *Tykkelse av kvartære sedimenter på norsk kontinentalhylle: Thickness of Quaternary sediments on Norwegian continental shelf. Kartblad 2.3.9*. Statens kartverk.
- Vorren, T.O., Laberg, J.S., Blaume, F., Dowdeswell, J.A., Kenyon, N.H., Mienert, J., Rumohr, J. and Werner, F., 1998: The Norwegian Greenland Sea continental margins: Morphology and late Quaternary sedimentary processes and environment. *Quaternary Science Reviews*, 17, 273-302.
- Wu, P., Johnston, P. and Lambeck, K., 1999: Postglacial rebound and fault instability in Fennoscandia. *Geophysical Journal International*, 139, 657-670.